Author Index to Volume 18

Achari, A. See Berman, H. M. 2405
Adawadkar, P. D. See Deber, C. M., 2375
Akimenko, N. M. See Forster, W., 625
Albers, R. J. See Kale, K. M., 1889
Allen, F. S. See Priore, D. R. C., 1809
Allen, L. C. See Sheridan, R. P., 2451
Andrews, A. L.
—; Atkinson, D.; Evans, M. T. A.; Finer, E. G.; Green, J. P.; Phillips, M. C.; Robertson, R. N.: The Conformation and Aggregation of Bovine β-Casein A. I. Molecular Aspects of Thermal Aggregation, 1105
Anshelevich, V. V.
—; Vologodskii, A. V.; Lukashin, A. V.; Frank-Kamenetskii, M. D.: Statistical-Mechanical Treatment of Violations of the Double Helix in Supercoiled DNA, 2733
Arfmann, H.-A. See Seipke, G., 855
Armitage, I. M. See Davanloo, P., 663
Asakura, T.
—; Nishioka, A.; Kamio, M.: ^{1}H- and ^{13}C-NMR Studies of *N*-Acetyl-L-Alanine Methylester and *N*-Acetyl-L-Alanine Methylamide. I. Self-Association, 467
Ashikawa, I.
—; Itoh, K.: Raman Spectra of Polypeptides Containing L-Histidine Residues and Tautomerism of Imidazole Side Chain, 1859
Ataka, M.
—; Tanaka, S.: Far-Infrared Spectrum of Crystalline Lysozyme, 507
Atkinson, D. See Andrews, A. L., 1105
Aubry, A. See Boussard, G., 1297
Azuma, T. See Kitagawa, T., 451

Baase, W. A. See Sprecher, C. A., 1009
Baici, A. See Skrabal, P., 995
Balaram, P. See Prasad, B. V. V., 1635
Balasubramanian, R.
Two-Dimensional Representation of the Hydrogen-Bonding Scheme in Phenylalanine tRNA (Communication), 485
Bangerter, F. See Skrabal, P., 995
Baron, M. H.
—; De Loze, C.; Toniolo, C.; Fasman, G. D.: Infrared and Raman Study in the Solid State of Fully Protected, Monodispersed Homooligopeptides of L-Valine, L-Isoleucine, and L-Phenylalanine, 411
Barrantes, F. J. See Macchi, E. M., 2979
Barrett, T. W.
Changes in the Refractive Index Ellipsoid Isotropies, Symmetric Anisotropies, and Depolarization Ratios of Potassium Hyaluronate Solutions as a Function of pH, 351
Barteri, M.
—; Pispisa, B.; Primiceri, M. V.: Conformational Dissymmetry and Stereospecific Catalytic Activity of Iron(III) Complex Ions Supported on Polypeptides (Communication), 3115
Battersby, S. J. See Tong, B. Y., 1917
Bauer, E. See Forster, W., 625
Bauer, S. See Zemek, J., 2135
Becker, J. M. See Deslauriers, R., 523
Bello, J. See Granados, E. N., 1479
Benedetti, E.
—; Di Blasio, B.; Pavone, V.; Pedone, C.; Germain, G.; Goodman, M.: Structure and Conformation of Peptides: *N*-Benzyloxycarbonyl-(γ-Ethyl)-L-Glutamyl-(γ-Ethyl)-L-Glutamic Acid Ethyl Ester, 517
Benham, C. J.
An Elastic Model of the Large-Scale Structure of Duplex DNA, 609
Bere, A.
—; Helene, C.: Formation of Ternary Complexes Involving Zinc or Copper Ions, Polynucleotides, and Polypeptides Containing Glutamic Acid and Tyrosine Residues, 2659
Berendsen, H. J. C. See Grigera, J. R., 35, 47
Berg, H. See Forster, W., 625
Berg, O. G.
Brownian Motion of the Wormlike Chain and Segmental Diffusion of DNA, 2861
Berman, H. M.
—; Stallings, W.; Carrell, H. L.; Glusker, J. P.; Neidle, S.; Taylor, G.; Achari, A.: Molecular and Crystal Structure of an Intercalation Complex: Proflavine–Cytidylyl-(3′,5′)-Guanosine, 2405
Bettini, A. See Frontali, C., 1353
Birshtein, T. M.
—; Zhulina, E. B.; Skvortsov, A. M.: Adsorption of Polypeptides on Solid Surfaces. I. Effect of Chain Stiffness, 1171

Blagoi, Yu. P.
—; Sorokin, V. A.; Valeev, V. A.; Gladchenko, G. O.; Khomenko, S. A.; Galkin, V. L.: On the Possibility of True Phase Transition in Heterogeneous DNA During Thermal Denaturation Under Conditions Close to Equal Stability of A+T and G+C Pairs, 2279
Blaha, K. See Vicar, J., 1021
Blake, R. D.
—; Haydock, P. V.: Effect of Sodium Ion on the High-Resolution Melting of Lambda DNA, 3089
Bleha, T. See Tvaroska, I., 2537
Bleich, H. E.
—; Glasel, J. A.; Latina, M.; Visintainer, J.: Study of the Rotational Diffusion Properties of Peptides in Solution, 2849
Bloomfield, V. A. See Rau, D. C., 2783; Riemer, S. C., 1695; Wilson, R. W., 1205, 1543
Bodnar, C. M. See Breslauer, K. J., 2167
Booy, F. P.
—; Chanzy, H.; Sarko, A.: Electron Diffraction Study of Single Crystals of Amylose Complexed with *n*-Butanol, 2261
Borejdo, J.
Motion of Myosin Fragments During Actin-Activated ATPase: Fluorescence Correlation Spectroscopy Study, 2807
Bourgeois, S.
—; Jernigan, R. L.; Szu, S. C.; Kabat, E. A.; Wu, T. T.: Composite Predictions of Secondary Structures of *lac* Repressor, 2625
Boussard, G.
—; Marraud, M.; Aubry, A.: Experimental Investigations on the Backbone Folding of Proline-Containing Model Tripeptides, 1297
Brabec, V.
Study of Thermal and Acid Denaturation of DNA by Means of Voltammetry at Graphite Electrodes, 2397
Brahms, J. See Taillandier, E., 1877
Brentani, M. M. See Kallenbach, N. R., 1515
Brentani, R. R. See Kallenbach, N. R., 1515
Breslauer, K. J.
—; Bodnar, C. M.: Effect of Salt on the Stability of the pH 4.2 rA_8 Double Helix in a Series of Organic/Aqueous Mixed Solvents: A Test of Oligoelectrolyte Theory, 2167
Broch, H.
—; Vasilescu, D.: Examen par la Methode des Orbitales Moleculaires des Preferences Conformationnelles Intrinseques du Squelette des Acides Nucleiques, 909
Broyde, S.
—; Hingerty, B.: Conformational Origin of the Pyrimidine (3′,5′) Purine Base Sequence Preference for Intercalation into RNAs (Communication), 2905
Bruck, D. See Williams, R. K., 757
Bucci, E.
—; Fronticelli, C.; Flanigan, K.; Perlman, J.; Steiner, R. F.: Fluorescence Anisotropy Decay Studies Upon Hemoglobin A and Its Subunits, 1261
Bundi, A.
—; Wuthrich, K.: ^{1}H-NMR Parameters of the Common Amino Acid Residues Measured in Aqueous Solutions of the Linear Tetrapeptides H-Gly-Gly-*X*-L-Ala-OH, 285
—; Wuthrich, K.: Use of Amide ^{1}H-NMR Titration Shifts for Studies of Polypeptide Conformation, 299
Burjanadze, T. V.
Hydroxyproline Content and Location in Relation to Collagen Thermal Stability, 931

Capasso, S.
—; Mazzarella, L.; Tancredi, T.: Conformational Analysis of the Cyclic Disulfide L-Cysteinyl-L-Cysteine (Communication), 1555
Careri, G.
—; Giansanti, A.; Gratton, E.: Lysozyme Film Hydration Events: An IR and Gravimetric Study, 1187
Carrell, H. L. See Berman, H. M., 2405
Cerf, R.
Chain Dynamics: Brownian Motion of the Ends of Oligopeptides in Solution (Communication), 731
Champagne, M. See Taillandier, E., 1877
Chandrasekaran, R. See Prasad, B. V. V., 1635
Chanzy, H. See Booy, F. P., 2261
—; Comtat, J.; Dube, M.; Marchessault, R. H.: Enzymatic Degradation of $\beta(1 \rightarrow 4)$ Xylan Single Crystals, 2459
—; Marchessault, R. H.; Revol, J. F.; Dube, M.: Single Crystals and Oriented Crystallization of Ivory Nut Mannan, 887
Chatterjee, R.
—; Chattoraj, D. K.: Hydrophobic Interactions of DNA with Long-Chain Amines, 147
Chattoraj, D. K. See Chatterjee, R., 147
Chay, T. R.
Mechanism for Unwinding of Double-Helical Polynucleotides by Formaldehyde, 1439
Chemla, M. See Magdelenat, H., 187; Tivant, P., 1849
Chiao, Y.-C. C.
—; Rao, K. G.; Hook, J. W., III; Krugh, T. R.; Sengupta, S. K.: 7-Amino-Actinomycin D Complexes with Deoxynucleotides as Models for the Binding of the Drug to DNA, 1749
Chu, B. See Gulari, E., 2943; Patkowski, A., 2051

Chujo, R. See Inoue, Y., 373
Cleland, R. L.
Effect of Temperature on the Limiting Viscosity Number of Hyaluronic Acid and Chondroitin 4-Sulfate, 1821
Enthalpy of Mixing Glycosaminoglycans with Aqueous NaCl, 2673
Clementi, E. See Tosi, C., 203
—; Corongiu, G.: Interaction of Water with DNA Single-Helix in the A Conformation, 2431
Coderre, J. See Glass, J. D., 383
Collins, T. C. See Suhai, S., 899
Comtat, J. See Chanzy, H., 2459
Cordone, L.
—; Izzo, V.; Sgroi, G.; Fornili, S. L.: Effect of Some Monohydric Alcohols on the Functional Stability of Bovine Liver β-Galactosidase, 1965
—; Cupane, A.; San Biagio, P. L.; Vitrano, E.: Effect of Some Monohydric Alcohols on the Oxygen Affinity of Hemoglobin: Relevance of Solvent Dielectric Constant and Hydrophobicity, 1975
Corongiu, G. See Clementi, E., 2431
Costantino, P.
—; Verdini, S.; Rizzo, R.; Savino, M.; De Santis, P.: Conformation and Properties of DNA–$(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$ Complex: A Nucleohistone Model, 9
Courseille, C. See Hospital, M., 1141
Cox, J. A. See Fung, B. M., 489
Crippen, G. M. See Havel, T. F., 73; Kuntz, I. D., 939
Crothers, D. M. See Davanloo, P., 663, 2213; Klevan, L., 1029
Cupane, A. See Cordone, L., 1975

Davanloo, P.
—; Crothers, D. M.: Nuclear Magnetic Resonance Investigation of Lysine–Oligopeptides and a Complex with $d(pA)_3pGpC(pT)_3$, 2213
—; Armitage, I. M.; Crothers, D. M.: ^{31}P NMR Spin-Lattice Relaxation Studies of Deoxyoligonucleotides, 663
Davril, M.
—; Han, K-K.; Loucheux-Lefebvre, M-H.: Study by Circular Dichroism of Soluble Fragments of Elastin from Porcine and Normal and Pathological Human Aortas, 2195
Deber, C. M.
—; Adawadkar, P. D.: Cation-Binding Cyclic Peptides with Lipophilic Tails, 2375
Delabar, J-M.
—; Guschlbauer, W.: Raman Spectroscopic Study of ^2H- and ^{15}N-Substituted Guanosines: Monomers, Gels, and Polymers, 2073
De Loze, C. See Baron, M. H., 411
Demarco, A.
—; Llinas, M.; Wuthrich, K.: Analysis of the ^1H-NMR Sequence of Ferrichrome Peptides. II. The Amide Resonances (Erratum), 2911
—; Llinas, M.; Wuthrich, K.: Analysis of the ^1H-NMR Spectra of Ferrichrome Peptides. I. The Non-Amide Protons (Erratum), 2911
De Santis, P. See Costantino, P., 9
—; Morosetti, S.; Palleschi, A.: Moments of the Distribution of the Amino Acid Residues in Tertiary Structures of Globular Proteins, 2963
Deslauriers, R.
—; Becker, J. M.; Steinfeld, A. S.; Naider, F.: Steric Effects of *cis-trans* Isomerism on Neighboring Residues in Proline Oligopeptides: A ^{13}C-NMR Study of Conformational Heterogeneity in Linear Tripeptides, 523
Desnica, D.
Self-Association of Hemoglobin: A Dielectric Dispersion Study, 1685
Di Blasi, R.
—; Verdini, A. S.: ^{13}C Nuclear Magnetic Resonance Study of the Triple Helix ⇌ Random-Coil Transition of $(Prolylprolylglycyl)_{10}$ (Communication), 735
Di Blasio, B. See Benedetti, E., 517
Dirkx, J. See Saenger, W., 2015
Domard, A. See Maret, G., 101; Mosoni, L., 2341
Donovan, J. W.
Phase Transitions of the Starch–Water System, 263
Dore, E. See Frontali, C., 1353
Drifford, M. See Magdelenat, H., 187
Dube, M. See Chanzy, H., 887, 2459

Easwaran, K. R. K. See Mohanakrishnan, P., 1769
Epstein, I. R.
Kinetics of Large-Ligand Binding to One-Dimensional Lattices: Theory of Irreversible Binding, 765
Kinetics of Nucleic Acid–Large Ligand Interactions: Exact Monte Carlo Treatment and Limiting Cases of Reversible Binding, 2037
Evans, M. T. A. See Andrews, A. L., 1105
—; Phillips, M. C.; Jones, M. N.: The Conformation and Aggregation of Bovine β-Casein A. II. Thermodynamics of Thermal Association and the Effects of Changes in Polar and Apolar Interactions on Micellization, 1123
Evdokimov, Yu. M. See Forster, W., 625

Fasman, G. D. See Baron, M. H., 411; Fulmer, A. W., 2875; Schwartz, A. M., 1045

Fermandjian, S. See Vicar, J., 1021
Ferrauto, A. See Frontali, C., 1353
Finer, E. G. See Andrews, A. L., 1105
Flanigan, K. See Bucci, E., 1261
Fletcher, G. C. See Thomas, J. C., 1333
Fornili, S. L. See Cordone, L., 1965
Forster, W.
—; Bauer, E.; Schutz, H.; Berg, H.; Minchenkova, L. E.; Evdokimov, Yu. M.; Varshavsky, Ya. M.; Akimenko, N. M.: Thermodynamics and Kinetics of the Interaction of Copper (II) Ions With Native DNA, 625
Frank-Kamenetskii, M. D. See Anshelevich, V. V., 2733
Frazier, J. See Roy, K. B., 3077
French, C. J. See Gosline, J. M., 2091
Fridkin, M. See Goren, H. J., 981
Fritz, O. G. See Palmer, G. R., 1647, 1659
Fromageot, P. See Vicar, J., 1021
Frontali, C.
—; Dore, E.; Ferrauto, A.; Gratton, E.; Bettini, A.; Rozzan, M. R.; Valdevit, E.: An Absolute Method for the Determination of the Persistence Length of Native DNA from Electron Micrographs, 1353
Fronticelli, C. See Bucci, E., 1261
Fujikado, T.
—; Hayakawa, R.; Wada, Y.: Light Scattering of Aqueous Solutions of DNA, Poly(acrylic Acid), and Tobacco Mosaic Virus Under Alternating Electric Field, 2303
Fujimori, M.
—; Kikuchi, K.; Yoshioka, K.; Kubota, S.: Electric Field Effect on the Helix–Coil Transition of Poly(L-α,γ-Diaminobutyric Acid Hydrochloride) in Methanol/Water Mixtures, 2005
Fujita, N. See Sharp, D. S., 1027
Fukutome, A. See Ikeda, S., 335
Fulmer, A. W.
—; Fasman, G. D.: Ionic Strength-Dependent Conformational Transitions of Chromatin. Circular Dichroism and Thermal Denaturation Studies, 2875
Fung, B. M.
—; Cox, J. A.: The Heat Capacity of Water in Hydrated Collagen (Communication), 489
Fyfe, C. A. See Williams, R. K., 757

Gadenne, M. C. See Taillandier, E., 1877
Galitskii, N. M. See Pletnev, V. Z., 2145
Galkin, V. L. See Blagoi, Yu. P., 2279
Geddes, R. See Harvey, J. D., 2249
Gekko, K.
Circular Dichroism Study of Polyelectrolytic Properties of Carboxymethyldextran, 1989
Germain, G. See Benedetti, E., 517
Giansanti, A. See Careri, G., 1187
Gladchenko, G. O. See Blagoi, Yu. P., 2279
Glasel, J. A. See Bleich, H. E., 2849
Glass, J. D.
—; Silver, L.; Sondheimer, J.; Pande, C. S.; Coderre, J.: 4-Phenoxy-3,5-Dinitrobenzoylpolyethyleneglycol: Reversible Attachment of Cysteine-Containing Polypeptides to Polymers in Aqueous Solutions, 383
Glusker, J. P. See Berman, H. M., 2405
Goodman, M. See Benedetti, E., 517
Goren, H. J.
—; Fridkin, M.; Katchalski-Katzir, E.; Lotan, N.: Conformational Changes of Poly(L-Histidyl-L-Alanyl-L-Glutamic Acid) in Solution. Transition Pathways and Conformational Intermediates, 981
Gosline, J. M.
—; French, C. J.: Dynamic Mechanical Properties of Elastin, 2091
Gotoh, O.
—; Wada, A.; Yabuki, S.: Salt-Concentration Dependence of Melting Profiles of Lambda Phage DNAs: Evidence for Long-Range Interactions and Pronounced End Effects, 805
Granados, E. N.
—; Bello, J.: Alkylated Poly(Amino Acids). I. Conformational Properties of Poly(N^{ϵ}-Trimethyl-L-Lysine) and Poly(N^{δ}-Trimethyl-L-Ornithine), 1479
Gratton, E. See Careri, G., 1187; Frontali, C., 1353
Green, J. P. See Andrews, A. L., 1105
Greiche, Y.
—; Heidemann, E.: Collagen Model Peptides with Antiparallel Structure (Communication), 2359
Greve, J. See Koopmans, G., 1533
Grigera, J. R.
—; Vericat, F.; Hallenga, K.; Berendsen, H. J. C.: Dielectric Properties of Hydrated Collagen, 35
—; Berendsen, H. J. C.: The Molecular Details of Collagen Hydration, 47
Gulari, E.
—; Liu, T. Y.; Chu, B.: Characterization of Meningococcal Polysaccharides by Light-Scattering Spectroscopy. IV. Molecular Weight Distribution of Group B Meningococcal Polysaccharide in Buffer Solution, 2943
Gurnani, S. See Krishnamoorthy, G., 1937
Guschlbauer, W. See Delabar, J-M., 2073

Hallenga, K. See Grigera, J. R., 35
Hallett, F. R. See Palmer, G. R., 1647
Hamaguchi, K. See Kitagawa, T., 451

Han, K-K. See Davril, M., 2195
Handa, T.
—; Yajima, H.: On the Blue Color of Triiodide Ions in Starch and Starch Fractions. I. Characterization and Assignment of Absorption and Circular Dichroism Spectra of Triiodide Ions in Amylose, 873
Hart, R. L. See Seely, G. R., 2745
Harvey, J. D.
—; Geddes, R.; Wills, P. R.: Conformational Studies of BSA Using Laser Light Scattering, 2249
Harvey, S. C.
Transport Properties of Particles with Segmental Flexibility. I. Hydrodynamic Resistance and Diffusion Coefficients of a Freely Hinged Particle, 1081
Havel, T. F.
—; Crippen, G. M.; Kuntz, I. D.: Effects of Distance Constraints on Macromolecular Conformation. II. Simulation of Experimental Results and Theoretical Predictions, 73
Hayakawa, R. See Fujikado, T., 2303; Sakamoto, M., 2769; Umemura, S., 25
Hayakawa, T. See Yamamoto, H., 3067
Haydock, P. V. See Blake, R. D., 3089
Heidemann, E. See Greiche, Y., 2359
Helene, C. See Bere, A., 2659
Helseth, D. L., Jr.
—; Lechner, J. H.; Veis, A.: Role of the Amino-Terminal Extrahelical Region of Type I Collagen in Directing the 4*D* Overlap in Fibrillogenesis, 3005
Hemmes, P. See Sarvazyan, A. P., 3015
Hetzel, R.
—; Wuthrich, K.: Conformational Energy Studies of Linear Dipeptides H-*X*-L-Pro-OH, 2589
Heyraud, A.
—; Rinaudo, M.; Vignon, M.; Vincendon, M.: ^{13}C-NMR Spectroscopic Investigation of α- and β-1,4-D-Glucose Homooligomers, 167
Hingerty, B. See Broyde, S., 2905
Geometry of Experimentally Observed RNA Residues in tRNA and Dinucleoside Monophosphates: The Effect of Small Variations in the Backbone Angles, 1901
Hodes, Z. I.
—; Nemethy, G.; Scheraga, H. A.: Influence of Hydration on the Conformational Stability and Formation of Bends in Terminally Blocked Dipeptides, 1611
—; Nemethy, G.; Scheraga, H. A.: Model for the Conformational Analysis of Hydrated Peptides. Effect of Hydration on the Conformational Stability of the Terminally Blocked Residues of the 20 Naturally Occurring Amino Acids, 1565
Hook, J. W., III. See Chiao, Y.-C. C., 1749
Hopman, P. C. See Koopmans, G., 1533
—; Koopmans, G.: Molecular Weights of the Slow and Fast Forms of T2L Bacteriophages (Communication), 1551
Hospital, M.
—; Courseille, C.; Leroy, F.; Roques, B. P.: The Role of Water in the Crystal Structure of *N*-Acetyl-L-4-Hydroxyproline, 1141
Howard, F. B. See Mathelier, H. D., 709
Hurst, R. E. See Menter, J. M., 493
Husimi, Y.
Analysis of the Peak Trajectory in Cooperative Elution of Ligand in Affinity Chromatography (Communication), 1023

Ifft, J. B. See Sharp, D. S., 1027, 3043
Ikeda, S. See Okahashi, K., 2105
—; Fukutome, A.; Imae, T.; Yoshida, T.: Circular Dichroism and the pH-Induced β-Coil Transition of Poly(S-Carboxymethyl-L-Cysteine) and Its Side-Chain Homolog, 335
—; Okahashi, K.: Intermolecular Association and Molecular Weight of Aggregates of a Monodisperse Homohexapeptide, Nps-[Glu(OBzl)]$_6$-NHEt, in Solution, 2115
Imae, T. See Ikeda, S., 335
Imakubo, K. See Inoue, Y., 2175
Inoue, S.
—; Sano, T.; Yakabe, Y.; Ushio, H.; Yasunaga, T.: Kinetic Studies of the Helix–Coil Transition in Aqueous Solutions of Poly(L-Lysine), 681
Inoue, Y.
—; Sase, S.; Chujo, R.; Nagaoka, S.; Sogami, M.: Interactions Between Bovine Plasma Albumin and Sodium Dodecyl Sulfate Studied by Means of ^{13}C-NMR Spectra, 373
—; Kuramochi, T.; Imakubo, K.: Protonation and Quaternization of 1,N^6-Ethenoadenosine: What Are the Species Responsible for the Fluorescence of 1,N^6-Ethenoadenosine? 2175
Itoh, K. See Ashikawa, I., 1859
Ivanov, V. T. See Pletnev, V. Z., 2145
Izzo, V. See Cordone, L., 1965

James, T. L.
—; Matthews, R.; Matson, G. B.: Hemoglobin Aggregation in Oxygenated Sickle Cells Studied by Carbon-13 Rotating Frame Spin–Lattice Relaxation in the Presence of an Off-Resonance Radiofrequency Field, 1763
Jamieson, A. M. See Reihanian, H., 1727
Jernigan, R. L. See Bourgeois, S., 2625; Szu, S. C., 83

Johnson, R. S.
—; Klotz, I. M.: Accelerated Deacylation of Acyl Salicylates and Neighboring Group Effects in Derivatives of Poly(Ethylenimine), 313
Johnson, W. C., Jr. See Sprecher, C. A., 1009
Jones, M. N. See Evans, M. T. A., 1123
Joshi, N. V.
—; Rao, V. S. R.: Flexibility of the Pyranose Ring in α- and β-D-Glucoses, 2993
Juliano, L.
—; Laluce, C.; Oliveira, M. C. F.; Paiva, A. C. M.: Titration and Fluorometric Studies of the Tyrosine Side Chains of Angiotensin II and Related Peptides, 1793
Jung, G. See Mayr, W., 425

Kabat, E. A. See Bourgeois, S., 2625
Kale, K. M.
—; Vitello, L.; Kresheck, G. C.; Vanderkooi, G.; Albers, R. J.: Thermometric Titration Studies of the Interaction of Block Polypeptides with Surfactants, 1889
Kallenbach, N. R.
—; Brentani, M. M.; Brentani, R. R.: Direct Differential Absorbance Profiles of Denaturing Transitions in Ribosomal and mRNA, 1515
Kamio, M. See Asakura, T., 467
Kanehisa, M. I.
—; Tsong, T. Y.: Dynamics of the Cluster Model of Protein Folding, 1375
—; Tsong, T. Y.: Kinetic Analysis of Local Structure Formations in Protein Folding, 2913
Karimian, A. See Rinaudo, M., 1673
Karplus, M. See Levy, R. M., 2465; Rossky, P. J., 825
—; Weaver, D. L.: Diffusion–Collision Model for Protein Folding, 1421
Katchalski-Katzir, E. See Goren, H. J., 981
Katsura, N. See Tanaka, K-I., 257
Khomenko, S. A. See Blagoi, Yu. P., 2279
Kikuchi, K. See Fujimori, M., 2005
Kim, Y. H.
—; Pincus, P.: Nematic Polymers: Excluded-Volume Effects, 2315
Kint, S.
—; Tomimatsu, Y.: A Raman Difference Spectroscopic Investigation of Ovalbumin and S-Ovalbumin, 1073
Kinzie, K. See Sharp, D. S., 1027
Kitagawa, T.
—; Azuma, T.; Hamaguchi, K.: The Raman Spectra of Bence-Jones Proteins. Disulfide Stretching Frequencies and Dependence of Raman Intensity of Tryptophan Residues on Their Environments, 451
Klevan, L.
—; Crothers, D. M.: High-Resolution NMR of Exchangeable Protons in Arginine, Oligoarginines, and the Arginine-Rich Histone Tetramer, 1029
Klotz, I. M. See Johnson, R. S., 313; Takagishi, T., 2497
Knappenberg, M. See Saenger, W., 2015
Kodama, M. See Saito, H., 1065
Kollman, P. A. See Kuntz, I. D., 939
Koopmans, G. See Hopman, P. C., 1551
—; Van Der Meer, B. J.; Hopman, P. C.; Greve, J.: Quasielastic Light Scattering from Solutions of Lollipop-Shaped Particles, 1533
Krasin, F.
Effect of Centrifuge Speed on the Sedimentation of High-Molecular-Weight Bacteriophage G DNA (Communication), 2353
Kresheck, G. C. See Kale, K. M., 1889
Krishnamoorthy, G.
—; Prabhananda, B. S.; Gurnani, S.: Bromophenol Red as a Probe of Lysozyme-Active Site Environment: A Temperature-Jump Study, 1937
Krugh, T. R. See Chiao, Y.-C. C., 1749
Kubota, S. See Fujimori, M., 2005
—; Yang, J. T.: Thermally Induced Helix-β Transition of Poly(L-α,γ-Diaminobutyric Acid) and Formation of Left-Handed Helix of Poly(L-α,β-Diaminopropionic Acid) in Alkyl Sulfate Solution (Communication), 743
Kuniak, L. See Zemek, J., 2135
Kuntz, I. D. See Havel, T. F., 73
—; Crippen, G. M.; Kollman, P. A.: Application of Distance Geometry to Protein Tertiary Structure Calculations, 939
Kuramochi, T. See Inoue, Y., 2175
Kyogoku, Y. See Ueno, M., 2645

Lader, H. J.
—; Mandelkern, L.: Origin of Multipeak Behavior in the NMR Spectra of Poly(L-Glutamic Acid), 2607
Ladik, J. See Suhai, S., 899
Laluce, C. See Juliano, L., 1793
Lancelot, G. See Mayer, R., 1293
Langley, K. H. See Silver, F. H., 2523
Latina, M. See Bleich, H. E., 2849
Leach, S. J. See Maxfield, F. R., 2507
Le Bret, M.
Catastrophic Variation of Twist and Writhing of Circular DNAs with Constraint? 1709
Lechner, J. H. See Helseth, D. L., Jr., 3005
Lee, R. H. See Sheridan, R. P., 2451
Leroy, F. See Hospital, M., 1141
Levy, R. M.
—; Karplus, M.: Vibrational Approach to the Dynamics of an α-Helix, 2465
Liang, J. N.
—; Stevens, E. S.; Morris, E. R.; Rees, D. A.: Spectroscopic Origin of Conformation-Sensitive Contributions to Polysaccharide Optical Activity: Vacuum-Ultraviolet Circular Dichroism of Agarose, 327

Liquier, J. See Taillandier, E., 1877
Liu, T. Y. See Gulari, E., 2943
Llinas, M. See Demarco, A., 2911, 2911
Loh, E.
—; Ralston, E.; Schumaker, V. N.: Quasielastic Light Scattering from Solutions of Filamentous Viruses. I. Experimental, 2549
Quasielastic Light Scattering from Solutions of Filamentous Viruses. II. Comparison Between Theories and Experiments, 2569
Lopp, I. G. See Wilson, W. D., 3025
Lorenzi, G. P. See Widmer, U., 239
Lotan, N. See Goren, H. J., 981
Loucheux-Lefebvre, M-H. See Davril, M., 2195
Luisi, P. L. See Skrabal, P., 995
Lukashin, A. V. See Anshelevich, V. V., 2733
Luscher, M.
—; Schindler, P.; Ruegg, M.; Rottenberg, M.: Effect of Inhibitor Complex Formation on the Hydration Properties of α-Chymotrypsin. Changes Induced in Protein Hydration by Tosylation of the Native Enzyme, 1775

Macchi, E. M.
—; Barrantes, F. J.: Structural Characterization of Ordered Domains in a Hydrophobic Membrane Protein, 2979
Madison, V.
Flexibility of the Pyrrolidine Ring in Proline Peptides (Erratum), 1563
Magdelenat, H. See Tivant, P., 1849
—; Turr, P.; Tivant, P.; Chemla, M.; Menez, R.; Drifford, M.: The Effect of Counter-Ion Substitution on the Transport Properties of Polyelectrolyte Solutions, 187
Mandel, M. See Pal, M. K., 2267
Mandelkern, L. See Lader, H. J., 2607
Manjula, G.
—; Ramakrishnan, C.: Stereochemical Studies on Cyclic Peptides. IX. Conformational Studies on Cyclic Tetrapeptides Containing Alternating *cis* and *trans* Peptide Units, 591
Manning, G. S.
Analysis of the Ionic Contribution to the Affinity of Steroid Diamines for DNA (Communication), 2357
Theory of H1-Mediated Control of Higher Orders of Structure in Chromatin, 2929
Marchessault, R. H. See Chanzy, H., 887, 2459
—; Perez, S.: Conformations of the Hydroxymethyl Group in Crystalline Aldohexopyranoses (Communication), 2369
Maret, G.
—; Domard, A.; Rinaudo, M.: Local Order in Polyelectrolytic Solutions Detected by Magnetic Birefringence Measurements on the $(Tyr\text{-}Glu)_n$ Copolymer, 101
Marraud, M. See Boussard, G., 1297
Martin, N. B.
—; Tripp, J. B.; Shibata, J. H.; Schurr, J. M.: Viscosometric Investigation of the Ordinary–Extraordinary Phase Transition in Dilute Polylysine Solutions, 2127
Matheliër, H. D.
—; Howard, F. B.; Miles, H. T.: Circular Dichroism of Helices Formed by Purine Monomers with Pyrimidine Polynucleotides, 709
Mathiez, P.
—; Weisbuch, G.; Mouttet, C.: Inelastic Light-Scattering Study of Polyadenilic Acid, 1465
Matson, G. B. See James, T. L., 1763
Matthews, R. See James, T. L., 1763
Mattice, W. L. See Schwartz, R. W., 1835
—; McCord, R. W.; Shippey, P. M.: Disorder–Order Transitions Induced in Anionic Homopolypeptides by Cationic Detergents, 723
Unperturbed Dimensions of Crosslinked Histones Evaluated Using Random-Flight Statistics and Rotational Isomeric State Theory, 225
Maxfield, F. R.
—; Leach, S. J.; Stimson, E. R.; Powers, S. P.; Scheraga, H. A.: Infrared Spectra of the *N*-Acetyl-*N'*-Methylamides of Glycine, L-Alanine, and L-Leucine in Dilute Solutions of Chloroform and Carbon Tetrachloride, 2507
Mayer, R.
—; Lancelot, G.; Spach, G.: Side Chain–Backbone Hydrogen Bonds in Peptides Containing Glutamic Acid Residues (Communication), 1293
Mayr, W.
—; Oekonomopulos, R.; Jung, G.: Synthesis and Conformation of a Polyoxyethylene-Bound Undecapeptide of the Alamethicin Helix and $(2\text{-Methylalanyl-L-Alanine})_1$–7, 425
Mazzarella, L. See Capasso, S., 1555
McCord, R. W. See Mattice, W. L., 723
McCoy, L. F., Jr.
—; Wong, K-P.: Denaturation of Cobalt–Carbonic Anhydrase B from Bovine Erythrocyte, 2893
Menez, R. See Magdelenat, H., 187
Menter, J. M.
—; Hurst, R. E.; Nakamura, N.; West, S. S.: Thermodynamics of Mucopolysaccharide–Dye Binding. III. Thermodynamic and Cooperativity Parameters of Acridine Orange–Heparin System, 493
Middleman, S. See Tirrell, M., 59
Mihayashi, K. See Nishide, H., 739
Milas, M. See Rinaudo, M., 1673

Miles, H. T. See Mathelier, H. D., 709; Roy, K. B., 3077
Miller, K. J.
—; Pycior, J. F.: Interaction of Molecules with Nucleic Acids. II. Two Pairs of Families of Intercalation Sites, Unwinding Angles, and the Neighbor-Exclusion Principle, 2683
Interactions of Molecules with Nucleic Acids. I. An Algorithm to Generate Nucleic Acid Structures with an Application to the B-DNA Structure and a Counterclockwise Helix, 959
Minchenkova, L. E. See Forster, W., 625
Misra, B. B.
—; Singh, C.: DNA–Actinomycin Interaction: Dilatometric Study (Communication), 1829
Mizuno, K.
—; Nishio, S.; Shindo, Y.: Association Studies of *N*-Acetyl-Amino Acid *N,N*-Dimethylamides in Carbon Tetrachloride, 693
Mohanakrishnan, P.
—; Easwaran, K. R. K.: Conformational Dependence of Vicinal $^{13}C'NCgrkaH$ Coupling Constants in Peptides: A Dirac Vector Model Investigation, 1769
Morosetti, S. See De Santis, P., 2963
Morris, E. R. See Liang, J. N., 327
Mosher, L. E. See Painter, P. C., 3121
Mosoni, L.
—; Petit-Ramel, M. M.; Domard, A.; Rinaudo, M.: Potentiometric Studies on Interactions of α-L-Glutamic Acid Oligomers with Cu(II) in Aqueous Solutions, 2341
Mouttet, C. See Mathiez, P., 1465

Nagaoka, S. See Inoue, Y., 373
Nagaraj, R. See Prasad, B. V. V., 1635
Nagarajan, M.
—; Rao, V. S. R.: Conformational Studies of Proteoglycans: Theoretical Studies on the Conformation of Heparin, 1407
Nagata, C. See Saito, H., 1065
Naider, F. See Deslauriers, R., 523
Nakamura, N. See Menter, J. M., 493
Nakayama, M. See Segawa, S.-I., 1503
Neidle, S. See Berman, H. M., 2405
Nemethy, G. See Hodes, Z. I., 1565, 1611
Nieuwenhuysen, P.
Density-Gradient-Sedimentation Velocity of Solvated Macromolecules: Theoretical Considerations About the Buoyancy Factor, 277
Nishide, H.
—; Mihayashi, K.; Tsuchida, E.: Spontaneous Reduction of Hemin Complexes in Dimethylformamide Solution (Communication), 739
Nishio, S. See Mizuno, K., 693
Nishioka, A. See Asakura, T., 467
Norden, B.
—; Seth, S.: Structure of Strand-Separated DNA in Different Environments Studied by Linear Dichroism, 2323

Odijk, T.
On the Ionic-Strength Dependence of the Intrinsic Viscosity of DNA (Communication), 3111
Oekonomopulos, R. See Mayr, W., 425
Ohki, T. See Saito, H., 1065
Okahashi, K. See Ikeda, S., 2115
—; Ikeda, S.: Conformations of a Monodisperse Homohexapeptide, Nps-[Glu(OBzl)]$_6$-NHEt, and Its Critical Concentration of β-Form Formation in Solution, 2105
Oliveira, M. C. F. See Juliano, L., 1793
Olson, W. K. See Yevich, R., 113
The Flexible DNA Double Helix. I. Average Dimensions and Distribution Functions, 1213
The Flexible DNA Double Helix. II. Superhelix Formation, 1235
Ornstein, R. L.
—; Rein, E.: Energetic and Structural Aspects of Ethidium Cation Intercalation into DNA Minihelices, 2821
—; Rein, R.: Energetics of Intercalation Specificity. I. Backbone Unwinding, 1277
Ovchinnikov, Yu. A. See Pletnev, V. Z., 2145

Painter, P. C.
—; Mosher, L. E.: The Low-Frequency Raman Spectrum of an Antibody Molecule: Bovine IgG (Communication), 3121
Paiva, A. C. M. See Juliano, L., 1793
Pal, M. K.
—; Mandel, M.: Differentiation Between the α-Helical and Coillike Conformations of Poly(L-Glutamic Acid) in Aqueous Solution Through Binding of Pinacyanol, 2267
Palleschi, A. See De Santis, P., 2963
Palmer, G. R.
—; Fritz, O. G.; Hallett, F. R.: Quasielastic Light-Scattering Studies on Human Fibrinogen and Fibrin. I. Fibrinogen, 1647
—; Fritz, O. G.: Quasielastic Light-Scattering Studies on Human Fibrinogen and Fibrin. II. Fibrin Polymerization, 1659
Pande, C. S. See Glass, J. D., 383
Patel, D. J.
Helix–Coil Transition of the dG-dC-dG-dC Self-Complementary Duplex and Complex Formation with Daunomycin in Solution, 553
Patkowski, A.
—; Chu, B.: Intensity Fluctuation Spectroscopy and Transfer RNA Conformation. III. Influence of NaCl Concentration on the Size and Shape of the Initially Salt-Free tRNA in Solution, 2051

Pavone, V. See Benedetti, E., 517
Pedone, C. See Benedetti, E., 517
Perez, S. See Marchessault, R. H., 2369
Perlman, J. See Bucci, E., 1261
Pescatori, E. See Tosi, C., 203
Peters, N. See Sheridan, R. P., 2451
Peticolas, W. L.
Mean-Square Amplitudes of the Longitudinal Vibrations of Helical Polymers, 747
Petit-Ramel, M. M. See Mosoni, L., 2341
Phillips, M. C. See Andrews, A. L., 1105; Evans, M. T. A., 1123
Pincus, P. See Kim, Y. H., 2315
Pino, P. See Widmer, U., 239
Piriou, F. See Vicar, J., 1021
Pispisa, B. See Barteri, M., 3115
Pletnev, V. Z.
—; Galitskii, N. M.; Ivanov, V. T.; Ovchinnikov, Yu. A.: The Crystal and Molecular Structure of *cyclo*-[-(D-Val-Hyi-Val-D-Hyi)$_3$-] (*meso*-Valinomycin, $C_{60}H_{102}N_6O_{18}$), 2145
Ponnuswamy, P. K. See Thiyagarajan, P., 789, 2233
Post, C. B.
—; Zimm, B. H.: Internal Condensation of a Single DNA Molecule, 1487
Powers, S. P. See Maxfield, F. R., 2507
Pozzan, M. R. See Frontali, C., 1353
Prabhananda, B. S. See Krishnamoorthy, G., 1937
Prasad, B. V. V.
—; Shamala, N.; Nagaraj, R.; Chandrasekaran, R.; Balaram, P.: Crystal and Molecular Structure of Benzyloxycarbonyl-α-Aminoisobutyryl-L-Prolyl Methylamide: The Observation of an X_2-Pro$_3$ Type III β-Turn, 1635
Primiceri, M. V. See Barteri, M., 3115
Priore, D. R. C.
—; Allen, F. S.: Comparisons Between Oriented Film and Solution Tertiary Structure of Various Nucleic Acids, 1809
Pycior, J. F. See Miller, K. J., 2683

Rahman, A. See Rossky, P. J., 825
Ralston, E. See Loh, E., 2549
—; Somorjai, R. L.: Conformational Energy Calculations with Averaged Potential Functions: Application to the Repeat Peptides of Elastin, 359
Ramakrishnan, C. See Manjula, G., 591
Rao, K. G. See Chiao, Y.-C. C., 1749
Rao, V. S. R. See Joshi, N. V., 2993; Nagarajan, M., 1407; Virudachalam, R., 571
Rau, D. C.
—; Bloomfield, V. A.: Transient Electric Birefringence of T7 Viral DNA, 2783
Redmann, S. M., Jr.
—; Rhodes, W.: Circular Dichroism of Helical Polynucleotides Calculated by the Linear Response Method, 393
Rees, D. A. See Liang, J. N., 327
Reihanian, H.
—; Jamieson, A. M.; Tang, L. H.; Rosenberg, L.: Hydrodynamic Properties of Proteoglycan Subunit from Bovine Nasal Cartilage. Self-Association Behavior and Interaction with Hyaluronate Studied by Laser Light Scattering, 1727
Rein, E. See Ornstein, R. L., 2821
Rein, R. See Ornstein, R. L., 1277
Reisler, E. See Zeiri, L., 2289
Revol, J. F. See Chanzy, H., 887
Rhodes, W. See Redmann, S. M., Jr., 393
Rich, A. See Woo, N. H., 539
Riemer, S. C.
—; Bloomfield, V. A.: Effect of Mg^{++} and Polyamides on Proflavine Binding to T2 DNA, 1695
Rinaudo, M. See Heyraud, A., 167; Maret, G., 101; Mosoni, L., 2341
—; Karimian, A.; Milas, M.: Polyelectrolyte Behavior of Carrageenans in Aqueous Solutions, 1673
Rizzo, R. See Costantino, P., 9
Rizzo, V. See Skrabal, P., 995
Robertson, R. N. See Andrews, A. L., 1105
Roques, B. P. See Hospital, M., 1141
Rosenberg, L. See Reihanian, H., 1727
Rossky, P. J.
—; Karplus, M.; Rahman, A.: A Model for the Simulation of an Aqueous Dipeptide Solution, 825
Rottenberg, M. See Luscher, M., 1775
Roy, K. B.
—; Frazier, J.; Miles, H. T.: Polyxanthylic Acid: Structures of the Ordered Forms, 3077
Ruegg, M. See Luscher, M., 1775

Saenger, W.
—; Suck, D.; Knappenberg, M.; Dirkx, J.: Theoretical Drug Design: 6-Azauridine-5′-Phosphate—Its X-Ray Crystal Structure, Potential Energy Maps, and Mechanism of Inhibition of Orotidine-5′-Phosphate Decarboxylase, 2015
Saito, H.
—; Ohki, T.; Kodama, M.; Nagata, C.: Salt-Induced Conformational Change of Random Copolymers $(Lys^{50}Tyr^{50})_n$ and $(Lys^{50}Phe^{50})_n$ Studied by ^1H- and ^{13}C-Nuclear Magnetic Resonances. Aggregation Behavior of Helical Segments, 1065
Sakamoto, M. See Umemura, S., 25
—; Hayakawa, R.; Wada, Y.: Dielectric Relaxation of DNA Solutions. III. Effects of DNA Concentration, Protein Contamination, and Mixed Solvents, 2769

San Biagio, P. L. See Cordone, L., 1975
Sano, T. See Inoue, S., 681
Sarko, A. See Booy, F. P., 2261
Sarvazyan, A. P.
—; Hemmes, P.: Relaxational Contributions to Protein Compressibility from Ultrasonic Data, 3015
Sase, S. See Inoue, Y., 373
Savino, M. See Costantino, P., 9
Scheraga, H. A. See Hodes, Z. I., 1565, 1611; Maxfield, F. R., 2507
Schindler, P. See Luscher, M., 1775
Schmitz, K. S.
Quasielastic Light Scattering by Biopolymers. III. Effect of Ionic Strength on Internal Dynamics of DNA (Communication), 479
Schumaker, V. N. See Loh, E., 2549
Schurr, J. M. See Martin, N. B., 2127; Shibata, J., 1831
Schutz, H. See Forster, W., 625
Schwartz, A. M.
—; Fasman, G. D.: Thermal Denaturation of Chromatin and Lysine Copolymer–DNA Complexes. Effects of Ethylene Glycol, 1045
Schwartz, D.
—; Veis, A.: Structure of Bovine Anterior Lens Capsule Basement Membrane Collagen Molecules from Electron Microscopy (Communication), 2363
Schwartz, R. W.
—; Mattice, W. L.; Spirtes, M. A.: Melanostatin Conformations in Solution, 1835
Seely, G. R.
—; Hart, R. L.: Absorption and Circular Dichroism Spectra of Methylene Blue Bound to Alginate, 2745
Seeman, N. C. See Woo, N. H., 539
Segawa, S.-I.
—; Nakayama, M.: Difference in Substrate Binding Processes Between Intact and Iodine-Inactivated Lysozyme, 1503
Seipke, G.
—; Arfmann, H.-A.; Wagner, K. G.: Specificity of DNA–Basic Polypeptide Interactions. III. Sequential and Random Copolymers of Lysine and Aromatic Amino Acids, 855
Sengupta, S. K. See Chiao, Y.-C. C., 1749
Seth, S. See Norden, B., 2323
Sgroi, G. See Cordone, L., 1965
Shamala, N. See Prasad, B. V. V., 1635
Sharp, D. S.
—; Fujita, N.; Kinzie, K.; Ifft, J. B.: Compressibility Studies of Three Proteins in CsCl Solutions in the Analytical Ultracentrifuge (Erratum), 1027
—; Ifft, J. B.: Density Gradient Proportionality Constants, Density Distributions, and Pressure Effects for Three Salt Solutions, 3043
Sheridan, R. P.
—; Lee, R. H.; Peters, N.; Allen, L. C.: Hydrogen-Bond Cooperativity in Protein Secondary Structure, 2451
Shibata, J.
—; Schurr, J. M.: Conductometric Manifestation of the Transition from the Ordinary to the Extraordinary Phase in Dilute Poly(L-Lysine) (Communication), 1831
Shibata, J. H. See Martin, N. B., 2127
Shindo, Y. See Mizuno, K., 693
Shippey, P. M. See Mattice, W. L., 723
Silver, F. H.
—; Langley, K. H.; Trelstad, R. L.: Type I Collagen Fibrillogenesis: Initiation via Reversible Linear and Lateral Growth Steps, 2523
Silver, L. See Glass, J. D., 383
Singh, C. See Misra, B. B., 1829
Skrabal, P.
—; Rizzo, V.; Baici, A.; Bangerter, F.; Luisi, P. L.: Co-Oligopeptides Containing Two Aromatic Residues Spaced by Glycyl Residues. X. Proton Magnetic Resonance Study of Co-Oligopeptides of Tryptophan and Glycine, 995
Skvortsov, A. M. See Birshtein, T. M., 1171
Sogami, M. See Inoue, Y., 373
Somorjai, R. L. See Ralston, E., 359
Sondheimer, J. See Glass, J. D., 383
Sorokin, V. A. See Blagoi, Yu. P., 2279
Spach, G. See Mayer, R., 1293
Spegt, P. See Tivant, P., 1849
Spirtes, M. A. See Schwartz, R. W., 1835
Sprecher, C. A.
—; Baase, W. A.; Johnson, W. C., Jr.: Conformation and Circular Dichroism of DNA, 1009
Stallings, W. See Berman, H. M., 2405
Steiner, R. F. See Bucci, E., 1261
Steinfeld, A. S. See Deslauriers, R., 523
Stevens, E. S. See Liang, J. N., 327
Stigter, D.
The Ordinary–Extraordinary Transition of Poly(L-Lysine-HBr) in NaBr Solutions (Communication), 3125
Stimson, E. R. See Maxfield, F. R., 2507
Suck, D. See Saenger, W., 2015
Suhai, S.
—; Collins, T. C.; Ladik, J.: Theoretical Investigation of Semiconductive Properties in Proteins. II. The Possibility of Charge Transfer Between Proteins and Different Acceptor Molecules, 899
Sukhodub, L. F. See Yanson, I. K., 1149
Sundaralingam, M. See Yathindra, N., 2721
Szu, S. C. See Bourgeois, S., 2625
—; Jernigan, R. L.: DNA Conformational Kinetics, 83

Taboury, J. See Taillandier, E., 1877

Taillandier, E.
—; Taboury, J.; Liquier, J.; Gadenne, M. C.; Champagne, M.; Brahms, J.: Particular Structural Role of H1 in Complexes with DNA and Comparison with H2A– and H4–DNA Complexes Investigated by IR Linear Dichroism, 1877
Takagishi, T.
—; Klotz, I. M.: Effects of Metal Ions on the Hydrolysis of *p*-Nitrophenyl Caproate by Modified Poly(ethylenimine)s, 2497
Tanaka, K-I.
—; Katsura, N.: Crystallization of Chondroitin Sulfate from an Aqueous Solution, 257
Tanaka, S. See Ataka, M., 507
Tancredi, T. See Capasso, S., 1555
—; Temussi, P. A.: Secondary Structure of Calf-Thymus Histone H1 by Means of ^{13}C-NMR Spectroscopy, 1
Tang, L. H. See Reihanian, H., 1727
Taylor, G. See Berman, H. M., 2405
Temussi, P. A. See Tancredi, T., 1
Teplitsky, A. B. See Yanson, I. K., 1149
Thiyagarajan, P.
—; Ponnuswamy, P. K.: Conformational Characteristics of the Trinucleoside Diphosphate *d*(ApApA) from Energy-Minimization Studies, 789
—; Ponnuswamy, P. K.: Solvent Accessibility Study on $tRNA^{Phe}$, 2233
Thomas, J. C.
—; Fletcher, G. C.: Dynamic Light Scattering from Collagen Solutions. II. Photon Correlation Study of the Depolarized Light, 1333
Tirrell, M.
—; Middleman, S.: Urease Oligomerizes in a Linear Pattern: Further Hydrodynamic Evidence from Intrinsic Viscosity Theories and Measurement, 59
Tivant, P. See Magdelenat, H., 187
—; Turq, P.; Chemla, M.; Magdelenat, H.; Spegt, P.; Weill, G.: Condensation of Co^{++} Ions on Chondroitin Sulfate from Transport Coefficients and Proton NMR Measurements in Aqueous Solutions, 1849
Tomimatsu, Y. See Kint, S., 1073
Tong, B. Y.
—; Battersby, S. J.: Melting Curves, Denaturation Maps, and Genetic Map of ϕX174: Their Relations and Applications, 1917
Toniolo, C. See Baron, M. H., 411
Tosi, C.
—; Pescatori, E.; Clementi, E.: Conformational Studies on Polynucleotide Chains. IV. Backbone Structure of Ribonucleic Acids, 203
Trelstad, R. L. See Silver, F. H., 2523
Tripp, J. B. See Martin, N. B., 2127
Tsong, T. Y. See Kanehisa, M. I., 1375, 2913
Tsou, K. C. See Yip, K. F., 1389
Tsuchida, E. See Nishide, H., 739
Turq, P. See Tivant, P., 1849
Turr, P. See Magdelenat, H., 187
Tvaroska, I.
—; Bleha, T.: Incorporation of Lone Pairs into the Electrostatic Term in the Empirical Intra- and Intermolecular Energy Calculations, 2537

Ueno, M.
—; Kyogoku, Y.: Conformational Difference in Cation Complexes of Tetranactin in Solution, 2645
Umemura, S.
—; Sakamoto, M.; Hayakawa, R.; Wada, Y.: Dielectric Relaxation of Collagen in Aqueous Solutions, 25
Ushio, H. See Inoue, S., 681

Valdevit, E. See Frontali, C., 1353
Valeev, V. A. See Blagoi, Yu. P., 2279
Vanderkooi, G. See Kale, K. M., 1889
Van Der Meer, B. J. See Koopmans, G., 1533
Van Veen, L. See Williams, R. K., 757
Varshavsky, Ya. M. See Forster, W., 625
Vasilescu, D. See Broch, H., 909
Veis, A. See Helseth, D. L., Jr., 3005; Schwartz, D., 2363
Verdini, A. S. See Di Blasi, R., 735
Verdini, S. See Costantino, P., 9
Vericat, F. See Grigera, J. R., 35
Vicar, J.
—; Blaha, K.; Piriou, F.; Fromageot, P.; Fermandjian, S.: ^{13}C-^{13}C Couplings in ^{13}C-Labeled cyclo(tri-L-prolyl) and the Pyrrolidine Ring Conformation (Communication), 1021
Vignon, M. See Heyraud, A., 167
Vincendon, M. See Heyraud, A., 167
Vinogradov, S. N.
N^+-H—O Bond Lengths in Crystal Structures of Amino Acids and Peptides (Communication), 1559
Virudachalam, R.
—; Rao, V. S. R.: Theoretical Studies on Peptidoglycans. II. Conformations of the Disaccharide–Peptide Subunit and the Three-Dimensional Structure of Peptidoglycan, 571
Visintainer, J. See Bleich, H. E., 2849
Vitello, L. See Kale, K. M., 1889
Vitrano, E. See Cordone, L., 1975
Vologodskii, A. V. See Anshelevich, V. V., 2733

Wada, A. See Gotoh, O., 805

Wada, Y. See Fujikado, T., 2303; Sakamoto, M., 2769; Umemura, S., 25
Wagner, K. G. See Seipke, G., 855
Weaver, D. L. See Karplus, M., 1421
Weill, G. See Tivant, P., 1849
Weisbuch, G. See Mathiez, P., 1465
West, S. S. See Menter, J. M., 493
Widmer, U.
—; Lorenzi, G. P.; Pino, P.: The Influence of Asymmetric Carbon Atoms of the Side Chains on the Conformational Properties of Polypeptides: Comparison of Diastereomeric Homooligopeptides of L-Isoleucine and D-Alloisoleucine, 239
Williams, R. K.
—; Fyfe, C. A.; Bruck, D.; Van Veen, L.: Effect of Hydrophobic Side Chains on the Pressure-Induced Changes in the NMR Spectra of Water-Soluble Biopolymers, 757
Wills, P. R. See Harvey, J. D., 2249
Wilson, R. W.
—; Bloomfield, V. A.: Hydrodynamic Properties of Macromolecular Complexes. V. Improved Calculation of Rotational Diffusion Coefficient and Intrinsic Viscosity, 1205
—; Bloomfield, V. A.: Rotational Effects in Quasielastic Laser Light Scattering form T-Even Bacteriophage, 1543
Wilson, W. D.
—; Lopp, I. G.: Analysis of Cooperativity and Ion Effects in the Interaction of Quinacrine with DNA, 3025
Wong, K-P. See McCoy, L. F., Jr., 2893
Woo, N. H.
—; Seeman, N. C.; Rich, A.: Crystal Structure of Putrescine Diphosphate: A Model System for Amine-Nucleic Acid Interactions, 539
Wu, T. T. See Bourgeois, S., 2625
Wuthrich, K. See Bundi, A., 285, 299; Demarco, A., 2911, 2911; Hetzel, R., 2589
Yabuki, S. See Gotoh, O., 805
Yajima, H. See Handa, T., 873
Yakabe, Y. See Inoue, S., 681
Yamamoto, H.
—; Hayakawa, T.: Synthesis of Sequential Polypeptides Containing L-β-3,4-Dihydroxyphenyl-α-Alanine (DOPA) and L-Glutamic Acid, 3067
Yang, J. T. See Kubota, S., 743
Yanson, I. K.
—; Teplitsky, A. B.; Sukhodub, L. F.: Experimental Studies of Molecular Interactions Between Nitrogen Bases of Nucleic Acids, 1149
Yasunaga, T. See Inoue, S., 681
Yathindra, N.
—; Sundaralingam, M.: Effect of O(2')-Methylation on the Stability of Polynucleotide Helices, 2721
Yevich, R.
—; Olson, W. K.: The Spatial Distributions of Randomly Coiling Polynucleotides, 113
Yip, K. F.
—; Tsou, K. C.: Fluorescent 2-Aza-ϵ-Adenosine Derivatives of Polyadenylic Acid, Polyuridylic Acid, and Polyinosinic Acid, 1389
Yoshida, T. See Ikeda, S., 335
Yoshioka, K. See Fujimori, M., 2005

Zeiri, L.
—; Reisler, E.: Circular Dichroism of Complexes of NADH with Self-Associating Bovine Liver Glutamate Dehydrogenase, 2289
Zemek, J.
—; Bauer, S.; Kuniak, L.: Affinity of Glycogen Synthetase to Crosslinked Glycogen, 2135
Zhulina, E. B. See Birshtein, T. M., 1171
Zimm, B. H. See Post, C. B., 1487

Subject Index to Volume 18

Communications to the Editor and Errata are denoted by the letters C and E, respectively, following the page number.

ab initio molecular orbital calculations use in hydrogen-bonding studies, 2451
Absorption spectra, of I_3^- and amylose, 873
—, of methylene blue bound to alginate, 2745
Absorption spectra,ultrasonic, of proteins, 3015
Ac-Ala-NHMe, ^1H- and ^{13}C-nmr studies of, 467
—, self-association of, 467
Ac-Ala-OMe, ^1H- and ^{13}C-nmr studies of, 467
—, self-association of, 467
N-Acetyl-amino acid *N*,*N*-dimethylamides, association studies of, 694
N-Acetyl-*N'*-methylamides, of Gly, Ala, and Leu, ir studies of, 2507
N-Ac-L-4-Hyp, crystal structure of, 1141
Acridine orange, binding to heparin, 493
Actinomycin D, binding to DNA, 1749
Actinomycin–DNA interaction, 1829(C)
Acyl salicylates, deacylation of, 313
Adsorption,of polypeptides on solid surfaces, effect of chain stiffness on, 1171
—, influence of secondary structure on, 1171
Affinity chromatography, cooperative elution of ligand in, 1023(C)
Affinity of binding, of myosin fragments to actin, 2807
Affinity studies, of glycogen synthetase, 2135
Agarose, sol-gel transition of, 327
—, vacuum-ultraviolet CD of, 327
Aggregation, of Nps-[Glu(OBzl)]$_6$-NHEt, 2115
Aggregation behavior of helical segments, of polypeptides, 1065
Aggregation,thermal, of bovine β-casein A, 1123
—, molecular aspects of, 1105
Aib-containing peptide, crystal and molecular structure of, 1635
Alamethicin, synthesis and conformation, of a partial sequence of, 425
Alanine dipeptide,in water, model of, 825
Albumin,bovine serum, binding of salicylate to, 2249
—, diffusion coefficients of oligomers, 2249
—, laser light scattering study, 2249
Alginate, binding of methylene blue and metal ions to, 2745
Algorithm to generate nucleic acid structures, 959
Alkali metal ions, complex with poly(X), 3077
Alkylated poly(amino acids), conformational properties of, 1479
Alkylglycines, synthesis and incorporation into peptides, 2375
Amine-nucleic acid interactions, 539
Amino acids, conformational stability of, 1565
Amylose, electron diffraction studies of, 2261
Amylose and I_3^-, spectroscopic studies of, 873
Analysis of peak trajectory, in cooperative elution of ligand, 1023(C)
Angiotensin II, tyrosine side chain of, 1793
Anterior lens capsule, basement membrane collagen, 2363(C)
—, pepsin digestion of, 2363(C)
—, structure of fibers in, 2363(C)
Antibody molecule, Raman studies of, 3121(C)
Antiparallel structure, of collagen model peptides, 2359(C)
Arg, high-resolution ^1H-nmr studies of, 1029
Aromatic amino acids and lysine, melting profiles of, with DNA, 855
—, sequential and random copolymers of, 855
Association studies, of *N*-acetyl-amino acid *N*,*N*-dimethylamides, 693
Asymmetric carbon atoms, effect on conformational properties, 239
Averaged potential functions, for elastin, 359
6-Azauridine,, 2015
6-Azauridine-5'-phosphate, charge distributions of, 2015
—, conformational analysis of, 2015
—, mechanism of inhibition of orotidylic acid decarboxylase, 2015
—, potential energy calculations of, 2015
—, x-ray crystal structure of, 2015

Backbone angles,variations, of RNA, 1901
Backbone configurations, for DNA, 959
Backbone folding, of proline-containing tripeptides, 1297
Backbone unwinding, of DNA, 1277
Bacteriophage,G and T2 DNA, sedimentation studies, 2353(C)

Bacteriophages, calculation of light scattering by, 1543
Bacteriophages,model for light scattering by, 1533
Bacteriophages,T2L, molecular weights of slow and fast forms of, 1543, 1551(C)
Bacteriophage,T-even, rotational diffusion coefficient of, 1205
Basement membrane, segment long-spacing precipitates, 2363(C)
—, structure and fiber formation, 2363(C)
Base sequence preference, See pyrimidine
Bases of nucleic acids, molecular interaction between, 1149
B-DNA structure, calculated stacking energies of, 959
Bence-Jones proteins, disulfide stretching frequencies of, 451
—, Raman spectra of, 451
Binding isotherms, of acridine orange–heparin systems, 493
Block polypeptides, interaction with surfactants, 1889
Blood clotting, polymerization of fibrinogen, 1659
Blue color, of I_3^- in starch, 873
Boc-(D-*a*Ile)$_n$-OMe, n=2–6, spectroscopic studies of, 239
Boc-(L-Ile)$_n$-OMe, n=2–6, spectroscopic studies of, 239
—, n=2–7, spectroscopic studies of, 411
Boc-(L-Phe)$_n$-OMe, n=2–7, spectroscopic studies of, 411
Boc-(L-Val)$_n$-OMe, n=2–7, spectroscopic studies of, 411
Bovine plasma albumin, ^{13}C-nmr spectra of, 373
—, interactions with $NaDodSO_4$, 373
Bromophenol red, binding to lysozyme, 1937
Brownian motion, of ends of oligopeptides, 731(C)
—, of a flexible particle, 1081
—, of the wormlike chain, 2861
Buoyancy factor, theoretical considerations of, 277

Calcium ionophores, synthetic peptides, 2375
Calf-thymus histone H1, secondary structure of, 1
Calorimetry, scanning, 263
—, of starch–water mixtures, 263
Carboxymethyldextran, CD studies of, 1989
Carrageenans, polyelectrolyte behavior of, 1673
β-Casein A, bovine, conformation of, 1105
β-Casein A,bovine, aggregation of, 1105
—, changes in polar and apolar interactions, 1123
—, ^{1}H-nmr studies of, 1105
—, thermal association of, 1123
Catalysis of hydrolysis, by metal ions, 2497
—, by polymers, 2497
Cation-binding, by cyclic peptides, 2375
Cation effect, of proflavine-DNA binding, 1695
Cation transport, by synthetic cyclic peptides, 2375
Cbz-[Glu(γ-Et)]$_2$-OEt, structure and conformation of, 517
^{13}C-^{13}C coupling constants, in *cyclo*(Pro_3), 1021(C)
CD studies, of an undecapeptide of alamethicin-OPOE, 425
—, of Boc-(Aib-L-Ala)$_n$-OPOE, $n \geq 6$, 425
—, calculation by linear response theory, 393
—, of carboxymethyldextran, 1989
—, of chromatin, ionic strength dependence, 2875
—, of chromatin, 1045
—, of Co(II)-carbonic anhydrase B, 2893
—, of DNA and copolypeptides, 855
—, of DNA and poly[Lys], 855
—, of DNA–Cu^{2+} complexes, 625
—, of DNA–$(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$, 9
—, of DNA, 1009
—, of fragments of elastin, 2195
—, of glutamate dehydrogenase–NADH complexes, 2289
—, of helical polynucleotides, 393
—, of helices of purine monomers and pyrimidine polynucleotides, 709
—, of I_3^- and amylose, 873
—, of $(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$, 9
—, of [Lys(Me_3)]$_n$, 1479
—, of melanostatin, 1835
—, of methylene blue aggregates bound to alginate, 2745
—, of Nps-[Glu(OBzl)]$_6$-NHEt, 2105
—, of [Orn(Me_3)]$_n$, 1479
—, of poly(Asp) with cationic detergents, 723
—, of poly(Glu) with cationic detergents, 723
—, of poly(Lys^{36},Ala^{28},Gly^{36})–DNA, 1045
—, of poly(L-α,β-diaminobutyric acid), 743(C)
—, of poly(L-α,β-diaminopropionic acid), 743(C)
—, of polypeptide–cation–polynucleotide ternary complexes, 2659
—, of poly(S-carboxyethyl-L-cysteine), 335
—, of poly(S-carboxymethyl-L-cysteine), 335
—, of surfactants and block polypeptides, 1889
CD vacuum ultraviolet, of agarose, 327
Cellobiose, nmr spectroscopy of, 167
Centrifuge speed,dependence of sedimentation coefficient, of high molecular weight G DNA, 2353(C)
Cetyltrimethylammonium chloride, effect on helix–coil transition of poly(Glu), 723
Chain stiffness, effect on adsorption of polypeptides, 1171
Charge-density difference map, of hydrogen

bonding, 2451
Charge transfer, between proteins and acceptor molecules, 899
Chemical-shift variation of ^{13}C signals, with degree of polymerization, 167
Chondroitin, enthalpy of mixing with NaCl, 2673
Chondroitin sulfate, counterion substitution in, 187
—, with excess Co^{++}, 1849
Chondroitin-4-sulfate, crystallization of, 257
—, enthalpy of mixing with NaCl, 2673
—, limiting viscosity number of, 1821
—, new polymorph of, 257
—, x-ray analysis of, 257
Chromatin, CD spectra of, 1045
—, ionic strength effects on thermal denaturation and CD, 2875
—, theory of higher orders of structure, 2929
—, thermal denaturation studies of, 1045
Chymotrypsin, hydration properties of, 1775
Circular DNAs, constraint turns of, 1709
cis-trans, alternating, peptide units, 591
cis-trans isomerism, of proline, in (Pro-Pro-Gly)$_{10}$, 735(C)
—, steric effects on neighboring residues, 523
Cluster model, description of protein folding with, 2913
—, of protein folding, 1375
Co^{++},condensation of, on chondroitin sulfate, 1849
Co(II) carbonic anhydrase, unfolding and refolding of, 2893
β-Coil transition, pH-induced, of poly(S-carboxyethyl-L-cysteine), 335
—, pH-induced, of poly(S-carboxymethyl-L-cysteine), 335
Collagen, basement membrane, 2363(C)
—, depolarized light scattering of, 1333
—, dielectric relaxation of, 25
—, electron microscopy of, 2363(C)
—, hydration structure of, 47
—, hydroxyproline content of, influence on thermal stability, 931
—, laser light scattering of, 1333
—, model peptides with antiparallel structure, 2359(C)
—, nmr spectroscopy of, 47
—, segment long-spacing precipitates, 2363(C)
—, self-assembly of fibrils, 3005
—, water bridges in, 47
—, water bridges in related peptide of, 1141
Collagen fibril formation, initiation via linear and lateral growth, 2523
Collagen,hydrated, dielectric properties of, 35
—, hydrated, heat capacity of water in, 489(C)
Collapsed state, of DNA, 1487
—, of synthetic polymers, 1487
Compressibility studies, of proteins, 1027(C)
Condensation of Co^{++}, 1849
Conductometric study, of $(Lys)_n$, 1831(C)
Conformation, of $(Aib\text{-}L\text{-}Ala)_n$, n=1–7, 425
—, of an alamethicin fragment, 425
—, of bovine β-casein A, 1105, 1123
—, of DNA–$(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$, 9
—, of DNA, 1009
—, of macromolecules, prediction of, 73
—, of melanostatin, 1835
—, of Nps-$[Glu(OBzl)]_6$-NHEt, 2105
—, of peptidoglycan, 571
—, of proline-containing tripeptides, 1297
Conformational analysis, of c(Cys-S-S-Cys), 1555(C)
—, of nucleic acids, 909
Conformational changes, of poly(His-Ala-Glu) in solution, 981
Conformational change,salt induced, of poly(Lys^{50},Phe^{50}), 1065
—, of poly(Lys^{50},Tyr^{50}), 1065
Conformational characteristics, of *d*(ApApA), 789
Conformational differences, in tetranactin–cation complexes, 2645
Conformational dissymmetry, of Fe(III) and polypeptides, 3115(C)
Conformational energy and solvent accessibility plots, of α- and β-D-glucopyranoses, 2993
Conformational energy calculations, of an arbitrary peptide, 359
—, application to the repeat peptides of elastin, 359
—, electrostatic part of, 2537
—, of hydrated peptides, 1565
—, reduction of, by averaged interaction functions, 359
—, of terminally blocked dipeptides, 1611
Conformational energy studies, of linear dipeptides, 2589
Conformational heterogeneity, ^{13}C-nmr studies on, 523
Conformational kinetics, of DNA, 83
Conformational properties, influence of asymmetric carbon atoms on, 239
Conformational studies, of cyclic tetrapeptides, 591
—, of heparin, 1407
—, of $[Lys(Me_3)]_n$, 1479
—, of $[Orn(Me_3)]_n$, 1479
—, on polynucleotide chains, 203
—, of proteoglycans, 1407
Conformation of $(Glu)_n$, 2267
Constraint turns, of DNA, 1709
Co-oligopeptides, of Trp and Gly, 995
Cooperativity map, of hydrogen bonding, 2451
Counterclockwise helix, in nucleic acid structures, 959
Counterion condensation, 2783
Counterion fluctuation, of DNA, 2769

Counterions, condensation of, 1849
Counterion substitution, 187
Coupling constants, in peptides, 1769
Critical concentration, of intermolecular association, 2115
Crosslinked histones, unperturbed dimensions of, 225
Cross-linking of glutamate dehydrogenase, application for CD studies, 2289
Crystallites, of starch, lowering of melting point of, 263
Crystallization,oriented, of ivory nut mannan, 887
Crystals,single of ivory nut mannan, 887
Crystal structure, of a proflavine–cytidylyl-(3′,5′)-guanosine intercalation complex, 2405
—, of putrescine diphosphate, 539
Crystal structures, N^+-H—O bond lengths in, 1559(C)
Cu^{2+} binding, to native DNA, 625
Cu(II), interaction with oligo(Glu), 2341
Cyclic peptides, binding metal ions, 2375
—, conformational analysis of, 1555(C)
Cyclic tetrapeptides, conformational studies on, 591
Cyclo[-(D-Val-Hyi-Val-D-Hyi)$_3$-], crystal and molecular structure of, 2145
—, x-ray diffraction studies of, 2145
Cyclo(Pro$_3$), ^{13}C-^{13}C couplings in, 1021(C)
—, pyrrolidine ring conformation of, 1021(C)
Cysteine-containing polypeptides, reversible attachment to phenoxydinitrobenzoyl polymers, 383
Cytidylyl-(3′,5′)-guanosine, complex with proflavine, 2405

d(ApApA), conformational characteristics of, 789
—, energy-minimization studies of, 789
Daunomycin, complex formation with dG-dC-dG-dC, 553
Deacylation, of acyl salicylates, 313
DECYL-2, calcium transport peptide, 2375
Denaturation, of RNA, 1515
—, of T2 DNA, 83
—, of T7 DNA, 83
Denaturation maps, of ϕX174 DNA, 1917
Density gradient proportionality constant, for CsBr, CsCl, and Cs_2SO_4, 3043
Density-gradient-sedimentation velocity, of solvated macromolecules, 277
Density of distribution, of C^α atoms in globular proteins, 2963
Deoxyoligonucleotides, ^{31}P-nmr studies of, 663
Depolarized light scattering, of collagen, 1333
dG-dC-dG-dC, complex formation with daunomycin, 553
—, helix–coil transition of, 553
Diastereomeric homooligopeptides, 239
Dielectric dispersion, of hemoglobin, 1685
Dielectric relation, of collagen, 25
Dielectric relaxation, of aqueous DNA, 2769
—, of DNA in water–ethanol mixtures, 2769
—, effect of DNA concentration on, 2769
—, of hydrated collagen, 35
Differential analysis, of denaturation of RNA, 1515
Differential pH-melting, of apo- and holo-carbonic anhydrase, 2893
Diffusion coefficients, 1081
Diffusion–collision model, for protein folding, 1421
Dilatometric studies, of DNA–actinomycin interaction, 1829(C)
Dinucleoside monophosphates, helical parameters of, 1901
Dipeptides, conformational stability of, 1611
Dipeptides,linear, conformational energy studies of, 2589
Dipole moment in molecules with lone pairs, magnitude and localization in, 2537
Dirac dispersion theory, application to refractive index tensor measurements, 351
Dirac vector model, use in coupling constant determination, 1769
Direct-derivative method, of high-resolution melting curves, 3089
Distance constraints, on macromolecular conformation, 73
Distance geometry, application to protein structure calculations, 939
Distribution functions, radial, of DNA, 1213
—, spatial, of DNA, 1213
Distribution of residues, in protein structures, 2963
Disulfide stretching frequencies, of Bence-Jones proteins, 451
DNA, backbone unwinding of, 1277
—, of bacteriophage T7, 2783
—, CD studies of, 1009
—, collapse, 1487
—, conformational changes on Cu^{2+} binding, 625
—, conformation kinetics of, 83
—, conformation of, 1009
—, conformation of in the presence of various histones, 1877
—, cooperative effects in ligand binding to, 3025
—, denaturation of, 83
—, dielectric relaxation of, 2769
—, distribution functions of, 1213
—, effect of ionic strength on internal dynamics of, 479(C)
—, electron micrographs of, 1353
—, electrostatic interaction of,with steroid diamines, 2357(C)
—, electrostatic persistence length and excluded volume in, 3111(C)

—, flexible double helix of, 1213, 1235
—, interactions with quinacrine, 3025
—, interaction with H_2O, 2431
—, intercalated complex formation of, 1277
—, intercalation with ethidium cation, 2821
—, internal condensation of, 1487
—, ion condensation theory applied to, 3025
—, LD studies of, 2323
—, light scattering of solution of, 2303
—, Mn effect on helix–coil transition, 2279
—, persistence length of, 1353, 2929
—, λ phage, melting profiles of, 805, 3089
—, protein contamination of, 2769
—, quasielastic light scattering on, 479(C)
—, rigidity of, 1353
—, salt transition for spontaneous bending, 2929
—, segmental diffusion of, 2861
—, strand separation of, 2323
—, superhelix, 2733
—, superhelix formation of, 1235
—, thermal and acid denaturation, 2397
—, violations of double helix of, 2733
—, voltammetry study of, 2397
—, in water–ethanol mixtures, 2769
—, of ϕX174, melting curves, 1917
DNA–actinomycin interaction, 1829(C)
DNA–amine binding, hydrophobic interaction of, 147
—, thermodynamics of, 147
—, at various pHs and ionic strengths, 147
DNA–7-amino-actinomycin D binding, spectroscopic studies of, 1749
DNA–basic polypeptide interactions, specificity of, 855
DNA–Cu^{2+} complexes, CD spectra of, 625
—, kinetics of formation, 625
DNA,duplex, an elastic model of large-scale structure of, 609
DNA,high molecular weight, centrifuge speed effect on sedimentation, 2353(C)
DNA–ligand binding, effect of chain length on, 147
DNA-$(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$, 9
DNA–poly(Lys) complexes, thermal denaturation studies of, 1045
DNA, circular, 1709
DNA,T_2, binding to proflavine, 1695
Dodecylammonium chloride, effect on coil–helix transition of poly(Glu) and poly(Asp), 723
L-DOPA polypeptides, 3067
Double helix,flexible, of DNA, 1213, 1235
$d(pA)_3pGpC(pT)_3$, complex with $(Lys)_4$, 2213
Drug binding, salicylate to BSA, 2249
Dynamic light scattering, of lollipop-shaped particles, 1533
—, of T-even bacteriophages, 1543
Dynamic mechanical properties, of elastin, 2091
Dynamics, of protein folding, 1375

Elastin, averaged potential functions for, 359
—, dynamic mechanical properties of, 2091
Elastin,from aortas, CD studies of porcine and human fragments of, 2195
Electrical mobility, of Co^{++}, 1849
Electric birefringence studies, of poly(A_2bu), 2005
Electric birefringence,transient, of T7 DNA, 2783
Electric field effect, on helix–coil transition, 2005
Electron diffraction, of a membrane protein, 2979
Electron diffraction studies, of amylose-*n*-butanol, 2261
Electron microscopy, of β-casein A, 1105
—, of collagen, 2363(C)
Electrostatic interactions, in DNA, 3111(C)
—, of *X*-Pro dipeptides, 2589
Electrostatin effects, on hemoglobin, 1975
Enantiomeric catalysts, for stereospecific oxidation reactions, 3115(C)
End effects, in DNA, effect of low salt on melting, 805
Energetic studies, of ethidium cation intercalation into DNA, 2821
Energy calculations, effect of O(2′)-methylation on polyribonucleotides, 2721
Energy-minimization studies, on *d*(ApApA), 789
Enthalpy, of mixing glycosaminoglycans with NaCl, 2673
Environment of Trp, 451
Enzymatic degradation, of polysaccharides, 2459
Errata, 1027, 1563, 2911
1,N^6-etheno-2-aza-adenosine, a fluorescent analog of adenosine, 1389
1,N^6-ethenoadenosine, from N's
1,N^6-ethenoadenosine, fluorescence of, 2175
—, protonation of, 2175
—, quaternization of, 2175
Ethidium cation, intercalation into DNA minihelices, 2821
Ethylene glycol, effect on melting, 1045
Excluded volume, theoretical evaluation of, in DNA, 3111(C)
Excluded-volume effects, on nematic polymers, 2315
Experimental determination, of macromolecular conformation, 73

Far-ir studies, of crystalline lysozyme, 507
Fe(III) ions, supported on polypeptides, 3115(C)
Ferrichrome peptides, See peptides
Fibrillogenesis, of collagen, 3005
—, of type I collagen, 2523

Fibrinogen, quasielastic light scattering of, 1647
—, thermal denaturation of, 1647
Fibrin polymerization, 1659
Firehose model, of protein folding, 939
Flexibility, evaluation of, in DNA, 3111(C)
Flexibility of the pyranose ring, in α- and β-D-glucopyranoses, 2993
Flexible macromolecules, transport properties of, 1081
Fluorescence, of 1,N^6-ethenoadenosine, 2175
Fluorescence anisotropy decay studies, of hemoglobin A, 1261
Fluorescence correlation spectroscopy, application to motion of myosin fragments, 2807
Fluorescence emission spectra, of acridine–heparin solutions, 493
Fluorescence studies, of polypeptide–cation–polynucleotide ternary complexes, 2659
Fluorescent derivatives, of polynucleotides, 1389
Fluorometric studies, of angiotensin, 1793
Formaldehyde, unwinding of polynucleotides by, 1439

β-Galactosidase, functional stability of, 1965
G DNA, effect of centrifuge speed on sedimentation, 2353(C)
—, molecular weight determination, 2353(C)
Glass transition, of elastin, 2091
L-Glu polypeptides, 3067(C)
Glutamate dehydrogenase, CD studies of NADH complexes, 2289
Glutamic acid, side chain–backbone hydrogen bonds in peptides containing, 1293(C)
Gly, co-oligopeptides with Trp, 995
Glycogen,crosslinked, affinity to glycogen synthetase, 2135
Glycogen synthetase, affinity to crosslinked glycogen, 2135
Gravimetric studies, of lysozyme, 1187
Guanosines,^{2}H- and ^{15}N-substituted, Raman studies of, 2073
Guggenheim isotherm, for hydrated collagen, 47

Heat capacity, of water in hydrated collagen, 489(C)
Heavy meromyosin and subfragment-1 binding to actin, 2807
Helical parameters, of tRNA and dinucleoside monophosphates, 1901
Helical polymers, mean-square amplitudes of the longitudinal vibrations of, 747
Helical stability, salt-solvent effects on, 2167
Helices,formed by purine monomers with pyrimidine polynucleotides, CD spectra of, 709
α-Helix, vibrational analysis of dynamics of, 2465
Helix–coil transition, of dG-dC-dG-dC, 553
—, of DNA with high [Mn], 2279
—, of poly(A_2bu), 2005
—, of poly(Lys), 681
—, of poly(L-Glu), 2607
Helix-coil transition
—, in poly(Asp), 723
—, in poly(Glu), 723
—, of deprotonated poly(Lys) homologs, 743(C)
Helix prediction, comparison of experiment with theory, 73
Helix-β transition, of poly(L-α,γ-diaminobutyric acid), 743(C)
Hemin complexes, spontaneous reduction of, 739(C)
Hemoglobin, dielectric dispersion of, 1685
—, oxygen affinity of, 1975
—, self-association of, 1685
Hemoglobin A, fluorescence anisotropy decay studies of, 1261
Hemoglobin S aggregation, 1763
Heparin, binding with acridine orange, 493
—, conformational studies of, 1407
H-Gly-Gly-*X*-Ala-OH, ^{1}H-nmr studies of amino acid residues in, 285
H-Gly-Trp-(Gly)$_n$-Trp-Gly-OH,n=0–2, ^{1}H-nmr spectra of, 995
His residues in polypeptides, Raman studies of, 1859
Histone–DNA complexes, ir studies of, 1877
Histone H1, control of higher orders of structure of chromatin, 2929
Histones, crosslinked, 225
Histone tetramer,arginine-rich, high-resolution ^{1}H-nmr studies of, 1029
Homooligopeptides, diastereomeric, 239
Hyaluronate, enthalpy of mixing with NaCl, 2673
—, interactions with a proteoglycan subunit, 1727
—, potassium, solutions, application of Dirac dispersion theory to, 351
—, potassium, solutions, pH-induced changes in, 351
Hyaluronic acid, limiting viscosity number of, 1821
Hydration, of amino acids, 1565, 1611
—, of α-chymotrypsin, 1775
—, of collagen, 35
Hydration structure, of collagen, 47
Hydrodynamic properties, of DNA, 3111(C)
—, of macromolecular complexes, 1205
—, of urease oligomers, 59
Hydrodynamics, of a proteoglycan subunit, 1727
Hydrodynamics,low Reynolds number, 1081
Hydrogen-bond cooperativity, in protein secondary structure, 2451
Hydrogen bonding, intramolecular, detection of, by amide ^{1}H-nmr titration shifts, 299

Hydrogen-bonding scheme, two-dimensional representation, 485(C)
Hydrogen bond lengths, N^+-H–O, in crystal structures, 1559(C)
Hydrophobic effects, on hemoglobin, 1975
Hydrophobic/hydrophilic balance, effect on micellization of β-casein A, 1123
Hydrophobic interactions, of DNA with long-chain amines, 147
Hydrophobicity distribution, in protein structures, 2963
Hydrophobic side chains,in polypeptides, effect on pressure-induced changes in ^{1}H-nmr spectra, 757
Hydroxymethyl group,in crystalline aldohexopyranoses, conformational analysis of, 2369(C)
—, statistical analysis of, 2369(C)
Hydroxyproline, influence on thermal stability of collagen, 931

I_3^- and amylose, spectroscopic studies of, 873
IgG,bovine, Raman studies of, 3121(C)
Imidazole-containing polymer, 2497
Imidazole side chains, tautomerism of, 1859
Impurity centers, in proteins, 899
Induced dipole orientation mechanism, for DNA electric birefringence, 2783
Infinite line charge model of polyelectrolytes, comparison with experiment, 2673
Infrared spectroscopy, of polypeptides in β-conformation, 2979
Inhibitor complex formation, upon protein hydration, 1775
Interaction centers, reduction in conformational energy calculations using, 359
Interaction energy, of H_2O with DNA, 2431
Interatomic distances by semiempirical calculations, oligosaccharides of hyaluronate, 2673
Intercalation, binding of quinacrine to DNA, 3025
—, effect of sodium ions in, 3025
—, effects of ligand cooperativity in, 3025
—, of proflavine and cytidylyl-(3′,5′)-guanosine, 2405
Intercalation sites, conformations of, 2683
—, neighbor exclusion principle in, 2683
—, tetramer duplex, 2683
—, unwinding angles in, 2683
Intercalation specificity, energetics of, 1277
Internal condensation, of DNA, 1487
Internal dynamics, of DNA, 479(C)
Intrinsic viscosity, ionic-strength dependence of, in DNA, 3111(C)
—, of macromolecular complexes, 1205
—, See limiting viscosity number
—, of urease, 59
Ion condensation theory, analysis of quinacrine–DNA interactions by, 3025
—, applied to intercalating ligands, 3025
Ionic strength, effect on internal dynamics of DNA, 479(C)
Ionic-strength dependence, of intrinsic viscosity of DNA, 3111(C)
Ionic strength effects, on electric birefringence, 2783
Ionophoric peptides, metal binding and transport by, 2375
Ion selectivity of tetranactin, correlation to its structure, 2645
ir linear dichroism studies, of histone–DNA complexes, 1877
Irreversible binding, theory of, 765
ir studies, of *N*-acetyl-*N*′-methylamides of Gly,Ala, and Leu, 2507
—, in the solid state, of Boc-(L-Ile)$_n$-OMe, n=2–7, 411
—, in the solid state, of Boc-(L-Phe)$_n$-OMe, n=2–7, 411
—, in the solid state, of Boc-(L-Val)$_n$-OMe, n=2–7, 411
—, of Ac-Gly-NMe_2, 693
—, of Ac-Phe-NMe_2, 693
—, of Ac-Val-NMe_2, 693
—, of lysozyme, 1187
—, of Nps-[Glu(OBzl)]$_6$-NHEt, 2105
—, of poly(X), 3077
—, of proline-containing tripeptides, 1297
—, of tetranactin–cation complexes, 2645

Kinetic analysis, of local structure formations, 2913
Kinetics, of irreversible binding, 765
—, of large-ligand binding to one-dimensional lattices, 765
—, of substrate binding, 1503
Kinetics of formation, of DNA–Cu^{2+} complexes, 625
Kinetic studies, of helix–coil transition of poly(Lys), 681

lac repressor, predictions of secondary conformations, 2625
Lamellar single crystals, of polysaccharides, 2459
Laser light scattering, of collagen, 1333
—, conformational studies of BSA, 2249
—, detection of Type I collagen fibrillogenesis by, 2523
—, of tRNA, 2051
Lattices,one-dimensional, kinetics of large-ligand binding to, 765
LD studies, of DNA, 2323
Ligand binding, to DNA, 2037
Ligand binding analysis, effect of site exclusion in, 3025
—, of quinacrine–DNA interactions, 3025
—, sodium ion effects in, 3025
Ligand,elution of, analysis of peak trajectory of, 1023(C)

Light scattering,inelastic, of poly(A), 1465
Light scattering,quasielastic, of fibrin, 1659
—, of human fibrinogen, 1647, 1659
—, of lollipop-shaped particles, 1533
—, of proteoglycan subunit–hyaluronate interactions, 1727
—, from T-even bacteriophages, 1543
Light-scattering spectroscopy, characterization of meningococcal polysaccharides by, 2943
Light-scattering studies of, Nps-[Glu(OBzl)]$_6$-NHEt, 2115
Light scattering under ac electric field, of aqueous DNA, 2303
—, of aqueous poly(acrylic acid), 2303
—, of aqueous TMV, 2303
Limiting viscosity number, of hyaluronic acid and chondroitin-4-sulfate, 1821
—, temperature coefficient of, 1821
Linear response theory, calculation of absorption and CD spectra of helical polymers with, 393
Local order, in polyelectrolytic solutions, 101
Local structure formation, in protein folding, 2913
Lollipop-shaped particles, light scattering from solutions of, 1533
Lone electron pairs, electrostatic interaction of, 2537
Long-range interaction, in DNA, effect of low salt on melting, 805
Lysine and aromatic acids, sequential and random copolymers of, 855
Lysine and aromatic amino acids, melting profiles of, with DNA, 855
Lys oligopeptides, nmr studies of, 2213
Lysozyme, iodine-inactivated, 1503
—, ir and gravimetric studies of, 1187
—, substrate binding to, 1503
Lysozyme,crystalline, far-infrared spectrum of, 507
—, Raman spectra of, 507
Lysozymes, active site environment of, 1937

Macromolecular complexes, hydrodynamic properties of, 1205
Macromolecular conformation, distance constraints on, 73
Magnetic birefringence, of (Tyr-Glu)$_n$, 101
Maltose, nmr spectroscopy of, 167
Mannan, ivory nut, oriented crystallization of, 887
Mannan, ivory nut, single crystals of, 887
Mass spectrometry,temperature-dependent field-ionization, of molecular complexes, 1149
Maxwell–Wagner effect, in hydrated collagen, 35
Melanostatin conformations, CD studies of, 1835
Melting curves, of ϕX174 DNA, 1917
Melting curves,high resolution, by direct-derivative method on λ DNA, 3089
Melting profiles, of DNA and poly(Lys), 855
—, of DNA and poly[Lys, Phe], 855
—, evidence for long-range interactions and end effects in DNA, 805
—, of λ phage DNA, 805, 3089
Melting studies, of DNA, effect of ethylene glycol on, 1045
—, of poly(Lys^{36},Ala^{28}Gly^{36})-DNA, 1045
—, of poly(Lys)–DNA, effect of ethylene glycol on, 1045
Melting temperature, effect of salt concentration on, 2167
Membrane modifying peptides, 425
Membrane protein, structure of, 2979
Meromyosin, See heavy meromyosin
Metachromasy, of methylene blue bound to alginate, 2745
Metal ions, in protein folding, 2893
Methylene blue, binding to alginate, 2745
Micellization, of β-casein A, effect of hydrophobic/hydrophilic balance on, 1123
Microwave dielectric properties, of hydrated collagen, 35
Minihelices, of DNA, 2821
Mn, effect on helix–coil transition of DNA, 2279
Model, for simulation of a solution of an alanine dipeptide, 825
Model,elastic, of large-scale structure of duplex DNA, 609
Model,simple, for longitudinal acoustical vibrations of helical polymers, 747
Molecular complexes, temperature-dependent field-ionization mass spectrometry of, 1149
Molecular interaction, between nitrogen bases of nucleic acids, 1149
Molecular orbital method, use in conformational analysis, 909
Molecular weight distribution, of group B meningococcal polysaccharide, 2943
Molecular weights, of slow and fast forms of T2L bacteriophages, 1543, 1551(C)
Monohydric alcohols, effect on β-galactosidase, 1965
—, effect on hemoglobin, 1975
Monte Carlo treatment, of nucleic acid–large ligand binding, 2037
Mucopolysaccharide–dye binding, fluorescence emission spectra of, 493
—, thermodynamics of, 493
Myeloma proteins, See Bence-Jones proteins

Na^+, effect on DNA melting, 3089
NADH, CD study of complexes with glutamate dehydrogenase, 2289

Nematic polymers, excluded-volume effects on, 2315
^{13}C-nmr spectroscopy, on calf-thymus histone H1, 1
^{13}C-nmr studies, of Ac-Ala-NHMe, 467
—, of Ac-Ala-OMe, 467
—, of α- and β-1,4-D-glucose homooligomers, 167
—, of bovine plasma albumin, 373
—, of conformational heterogeneity in linear tripeptides, 523
—, of poly(Lys^{50},Phe^{50}), 1065
—, of poly(Lys^{50},Tyr^{50}), 1065
—, of proline oligopeptides, 523
—, of (Pro-Pro-Gly)$_{10}$, 735(C)
—, of rotational diffusion, 2849
^{1}H-nmr studies, of Lys oligopeptides, 2213
^{1}H-nmr, of collagen, 47
—, titration shifts, use in protein conformational studies, 299
^{1}H-nmr parameters, of amino acid residues in random-coil peptides, 285
^{1}H-nmr studies, of Ac-Ala-NHMe, 467
—, of Ac-Ala-OMe, 467
—, of Ac-Gly-NMe$_2$, 693
—, of Ac-Phe-NMe$_2$, 693
—, of Ac-Val-NMe$_2$, 693
—, of arginine-rich histone tetramer, 1029
—, of Arg, 1029
—, of bovine β-casein A, 1105
—, of Co^{++}, 1849
—, of *c*(Cys-S-S-Cys), 1555(C)
—, of ferrichrome peptides, 2911(C), 2911(C)
—, of H-Gly-Trp-(Gly)$_n$-Trp-Gly-OH, n=0–2, 995
—, of hypothetical random coil, of polypeptide chains, 285
—, of [Lys(Me$_3$)]$_n$, 1479
—, of oligoarginines, 1029
—, of [Orn(Me$_3$)]$_n$, 1479
—, of poly[Gln(BuOH)], 757
—, of poly[Gln(EtOH)], 757
—, of poly(Lys^{50},Phe^{50}), 1065
—, of poly(Lys^{50},Tyr^{50}), 1065
—, of poly(L-Glu), 2607
—, of proline-containing tripeptides, 1297
—, of protein conformation, 285, 299
—, of tetranactin–cation complexes, 2645
^{31}P-nmr studies, of deoxyoligonucleotides, 663
^{31}P-nmr studies, of Lys oligopeptides, 2213
NOE studies, of deoxyoligonucleotides, 663
Nps-[Glu(OBzl)]$_6$-NHEt, aggregates of, 2115
—, conformation of, 2105
Nuclear magnetic resonance studies, of cyclic peptide/calcium complexes, 2375
Nucleic acid–large ligand interactions, kinetics of, 2037
Nucleic acids, conformational analysis of, 909
—, influence of sugar structure in, 909
—, intercalation sites in, 2683
—, tertiary structure of, 1809
Nucleic acid structures, generation with an algorithm, 959
Nucleohistone model, 9

Oligoarginines, high-resolution ^{1}H-nmr studies of, 1029
Oligoelectrolyte theory, test of, 2167
Oligo(Glu), interaction with Cu(II), 2341
Oligomerization, of urease, 59
Oligopeptides,ends of, Brownian motion of, 731(C)
O(2′)-methylation, effect on stability of polynucleotide helices, 2721
Onsager phase transition, 3125(C)
ORD studies, of an undecapeptide of alamethicin-OPOE, 425
—, of Boc-(Aib-L-Ala)$_n$-OPOE, 425
Orotidylic acid decarboxylase inhibition by 6-azauridine and its 5′-phosphate, 2015
Ovalbumin, Raman difference spectroscopy of, 1073
Oxygen affinity, of hemoglobin, 1975

Peptides, rotational diffusion in solution, 2849
—, side chain–backbone hydrogen bonds in, 1293(C)
Peptides,ferrichrome, ^{1}H-nmr studies of, 2911(C), 2911(C)
Peptides,model, of collagen, 2359(C)
Peptidoglycans, theoretical studies on, 571
—, three-dimensional structure of, 571
Peroxidase-like activity, of Fe(III) complex ions, 3115(C)
Persistence length, evaluation of, in DNA, 3111(C)
—, of T2 DNA, 1353
Phage, See bacteriophage
Phase transition, of (Lys)$_n$ solutions, 2127
pH-dependent structural transition, of potassium hyaluronate solutions, 351
4-Phenoxy-3,5-dinitrobenzoylpolyethyleneglycol, reaction with S-H groups of cysteine, 383
Phe tRNA, two-dimensional representation of hydrogen-bonding scheme of, 485(C)
Photon correlation spectroscopy, of tRNA, 2051
Photon correlation studies, of collagen, 1333
Pinacyanol, binding with (Glu)$_n$, 2267
Poly(A), copolymer-containing fluorescent analog, 1389
—, inelastic light-scattering studies of, 1465
Poly(A$_2$bu), electric birefringence studies, 2005
—, electric field effect on helix–coil transition, 2005
Poly(acrylic acid), light scattering of solution of, 2303

Poly(Asp), with cationic detergents,CD spectra of, 723
Polydispersity, effect on nmr spectra, 2607
Polyelectrolyte behavior, of carrageenans, 1673
Polyelectrolyte solution, transport properties of, 187
Polyelectrolyte theory, of binding of steroid diamines to DNA, 2357(C)
—, evaluation of, for DNA, 3111(C)
—, of higher orders of structure of chromatin, 2929
Poly(ethylenimine), deacylation of acyl salicylates in, 313
—, with imidazole adducts, 2497
—, with lauryl groups, 2497
Poly[Gln(BuOH)], changes in ^{1}H-nmr spectra with pressure, 757
Poly[Gln(EtOH)], changes in ^{1}H-nmr spectra with pressure, 757
Poly(Glu), binding with pinacyanol, 2267
—, with cationic detergents,CD spectra of, 723
—, conformations of, 2267
Poly(His-Ala-Glu), conformational changes in, 981
—, spectroscopic studies of, 981
Poly(I), copolymer-containing fluorescent adenosine analog, 1389
Poly(Lys), helix–coil transition of, 681
—, phase transition of, 2127
Poly(Lys^{36},Ala^{28},Gly^{36})–DNA, CD spectra of, 1045
—, thermal denaturation of, 1045
Poly(Lys)–DNA complexes, thermal denaturation studies of, 1045
Poly(Lys-HBr), ordinary–extraordinary transition of, 3125(C)
Poly[Lys(Me$_3$)], conformational properties of, 1479
Poly(Lys^{50},Phe^{50}), ^{1}H- and ^{13}C-nmr studies of, 1065
Poly(Lys^{50},Tyr^{50}), ^{1}H- and ^{13}C-nmr studies of, 1065
Polymeric catalysis, of hydrolysis of nitrophenyl caproate, 2497
Polymer solution theory, 1487
Poly(1→4)-β-D mannose, See Mannan
Poly(L-α,γ-diaminobutyric acid), CD studies of, 743(C)
—, helix-β transition of, 743(C)
Poly(L-α,β-diaminopropionic acid), CD studies of, 743(C)
Poly(L-Glu), double peaks in the nmr spectra of, 2607
—, nmr study of helix–coil transition, 2607
Poly(L-Lys), conductometric study of low-salt phase transition, 1831(C)
Polynucleotide chains, conformational studies on, 203
Polynucleotide helices, effect of O(2′)-methylation, 2721
Polynucleotides, ternary complexes with polypeptides and metal cations, 2659
—, unwinding of,by formaldehyde, 1439
Poly[Orn(Me$_3$)], conformational properties of, 1479
Polyoxyethylene, use in peptide synthesis, 425
Polypeptide conformation, ^{1}H-nmr studies of, 299
—, prediction of with Chou-Fasman criteria, 3005
Polypeptides, adsorption on solid surfaces, 1171
Polypeptides containing Glu and Tyr residues, formation of ternary complexes with metal cations and polynucleotides, 2659
Polypeptides,sequential, synthesis of, 3067
Polypeptide-supported Fe(III) complex ions, 3115(C)
Poly(rA), effect of salt on the stability of, 2167
Polysaccharide, conformation, 327
—, light scattering studies of group B meningococcal, 2943
—, optical activity, 327
Polysaccharides, lamellar single crystals of, 2459
Poly(S-carboxyethyl-L-cysteine), CD of, 335
—, pH-induced β-coil transition of, 335
Poly(S-carboxymethyl-L-cysteine), CD of, 335
—, pH-induced β-coil transition of, 335
Poly(U), copolymer-containing fluorescent adenosine analog, 1389
Poly(X), structure of, 3077
Polyxanthylic acid, complex with alkali metal ions, 3077
—, structures of ordered forms of, 3077
Potentiometric studies, of oligo(Glu) and Cu(II), 2341
Pressure-induced changes,in ^{1}H-nmr spectra, effect of hydrophobic side chains on, 757
Proflavine, binding to T_2DNA, 1695
—, complex with cytidylyl-(3′,5′)-guanosine, 2405
Proline, influence on thermal stability of collagen, 931
—, steric effects on neighboring residues, 523, 591
Proline-containing tripeptides, backbone folding of, 1297
—, spectroscopic studies of, 1297
Proline peptides, flexibility of the pyrrolidine ring in, 1563(C)
(Pro-Pro-Gly)$_{10}$, ^{13}C-nmr studies of, 735(C)
—, *cis-trans* isomerism of proline in, 735(C)
—, triple helix-to-random coil transition in, 735(C)
Protein, compressibility studies of, 1027(C)
—, firehose model of folding, 939
—, tertiary structure calculations of, 939
Protein compressibility, relaxational

contributions to, 3015
Protein folding, diffusion–collision model for, 1421
—, dynamics of, 1375
—, kinetic analysis of, 2913
Protein hydration, ir study of, 1187
Protein,hydrophobic membrane, structural studies of, 2979
Proteins, impurity centers of, 899
—, predictions of secondary conformations, 2625
—, semiconduction of, 899
—, tertiary structure analysis of, 2963
Protein secondary structure, hydrogen-bond cooperativity in, 2451
Proteoglycans, conformational studies of, 1407
Proteoglycan subunit, hydrodynamics of, 1727
—, interactions with hyaluronate, 1727
Proteolipid protein, from cerebral cortex, 2979
Protoporphyrin IX iron, spontaneous reduction of, 739(C)
Purine monomers, helix formation with pyrimidine polynucleotides, 709
Putrescine diphosphate, crystal structure of, 539
Pyrimidine polynucleotides, helix formation with purine monomers, 709
Pyrimidine (3′,5′) purine base sequence preference, 2905(C)
Pyrrolidine ring, in proline peptides, 1563(C)
Pyrrolidine ring conformation, of *cyclo*(Pro_3), 1021(C)

Quarternization, of 1,N^6-ethenoadenosine, 2175
Quasielastic light scattering, on DNA, 479(C)
—, of solutions of filamentous viruses, 2549, 2569
Quinacrine, intercalation with DNA, 3025

Radius of gyration, 225
Raman spectroscopic studies, of ^2H- and ^{15}N-substituted guanosines, 2073
Raman studies, of Bence-Jones proteins, 451
—, in the solid state, of Boc-(L-Ile)$_n$-OMe, n=2–7, 411
—, in the solid state, of Boc-(L-Phe)$_n$-OMe, n=2–7, 411
—, in the solid state, of Boc-(L-Val)$_n$-OMe, n=2–7, 411
—, of bovine IgG, 3121(C)
—, of human immunoglobin, 451
—, of ovalbumin, 1073
—, of polypeptides containing L-His, 1859
—, of S-ovalbumin, 1073
—, of tetranactin–cation complexes, 2645
—, use as a probe of environment of Trp, 451
Random-flight statistics, on crosslinked histones, 225
Randomly coiling polynucleotides, spatial distribution of, 113
Reduction, spontaneous, of hemin complexes, 739(C)
Refolding studies, of carbonic anhydrase, 2893
Relaxational contributions, to protein compressibility, 3015
Resistance coefficients, 1081
RNA, denaturation of, 1515
—, intercalation of bases in, 2905(C)
tRNA, effect of NaCl on conformation of, 2051
—, helical parameters of, 1901
$tRNA^{Phe}$, solvent accessibility of, 2233
RNAs, backbone structure of, 203
Rotational diffusion, of peptides in solution, 2849
Rotational diffusion coefficient, of macromolecular complexes, 1205
—, of T-even bacteriophages, 1205
Rotational diffusion coefficients, of tRNA, 2051
Rotational isomeric state, calculations, 225
—, theory, 225
Rotational relaxation time, of DNA, 2769

Salicylate, binding to BSA, 2249
Salt-concentration dependence, of melting profiles of DNA, 805
Secondary conformations, of proteins, 2625
Secondary structure, of calf-thymus histone H1, 1
Secondary structures, effect on adsorption of polypeptides, 1171
Sedimentation coefficient dependence, of bacteriophage G DNA and T2 DNA on rotor speed, 2353(C)
Sedimentation equilibrium, in a density gradient, 3043
—, pressure effects, 3043
Self-assembly mechanisms, initiation of collagen fibrillogenesis, 2523
Self-association, of Ac-Ala-NHMe, 467
—, of Ac-Ala-OMe, 467
—, of hemoglobin, 1685
Self-diffusion, of Co^{++}, 1849
Semiconductive properties in proteins, theoretical investigation of, 899
Sequential polypeptides containing L-DOPA and L-Glu, synthesis of, 3067
Sickle cells, aggregation of hemoglobin S in, 1763
Side chain–backbone hydrogen bonds, in peptides, 1293(C)
Sodium dodecyl sulfate, interactions of albumin with, 373
Sol-gel transition, of agarose, 327
Solid-state studies, of homooligopeptides, 411

Solvated macromolecules, density-gradient-sedimentation velocity of, 277
Solvent accessibility, of $tRNA^{Phe}$, 2233
Sorption of water, to collagen, 47
S-Ovalbumin, Raman difference spectroscopy of, 1073
Spatial distribution, of randomly coiling polynucleotides, 113
Spectroscopic studies of 7-amino-actinomycin D binding to DNA, 1749
—, of Boc-(D-*a*Ile)$_n$-OMe, n=2–6, 239
—, of Boc-(L-Ile)$_n$-OMe, n=2–6, 239
—, of 1,N^6-ethenoadenosine, 2175
—, of pinacyanol bound with (Glu)$_n$, 2267
—, of poly(His-Ala-Glu), 981
Spin–lattice relaxation in the rotating frame, hemoglobin S aggregation studies using, 1763
Spin-lattice relaxation studies, ^{31}P,of deoxyoligonucleotides, 663
Starch, crystallites, melting of, 263
—, denaturation, 263
—, gelatinization, 263
—, hydration and phase transitions, 263
—, phase transitions in, 263
Starch and I_3^-, blue color of, 873
Statistical mechanical studies, of fluctuational violations of DNA double helix, 2733
Stereoselective catalysis, of Fe(III) and polypeptides, 3115(C)
Stereoselective oxidation, of ascorbic acid, 3115(C)
Steric effects, of proline on neighboring residues, 523
Steroid diamines, ionic component of binding to DNA of, 2357(C)
Structure analysis, of globular proteins, 2963
Structure and conformation, of Cbz-[Glu(γ-Et)]$_2$-OEt, 517
Structure, crystal and molecular, of Z-Aib-Pro-$NHCH_3$, 1635
Substrate binding, to intact and iodine-inactivated lysozyme, 1503
—, kinetics of, 1503
Superhelicity, of DNA, 2733
Superhelix formation, of DNA, 609, 1235, 1709
Surfactants, interaction with block polypeptides, 1889
Synthesis, of (Aib-L-Ala)$_n$, n=1–7, 425
—, of an alamethicin fragment, 425
—, of Boc-(D-*a*Ile)$_n$-OMe, n=2–6, 239
—, of Boc-(L-Ile)$_n$-OMe, n=2–6, 239
—, of (Lys^{33}, Leu^{67})$_{100}$–(Orn)$_{20}$, 9
—, of sequential polypeptides of L-DOPA and L-Glu, 3067

Tautomerism, of imidazole side chains, 1859
T7 bacteriophage DNA, electric birefringence of, 2783
Telopeptides, of collagen, 3005
Temperature coefficient, of limiting viscosity number, 1821
Temperature-jump study, of lysozyme, 1937
Ternary complexes, involving polypeptides, polynucleotides, and metal cations, 2659
Tertiary structure, in a crystal and in solution, 1809
—, of nucleic acids, 1809
Tetranactin,an ionophore, structure of, 2645
Tetranactin–cation complexes, infrared and Raman spectra, 2645
—, proton magnetic resonance of, 2645
Theoretical drug design, 2015
Theoretical investigation, of protein semiconduction, 899
Theoretical studies, of α- and β-D-glucopyranoses, 2993
Theory, of irreversible binding, 765
Thermal denaturation, of chromatin, ionic strength dependence, 2875
—, of human fibrinogen, 1647
Thermodynamics, of mucopolysaccharide–dye binding, 493
Time domain spectroscopy, of hydrated collagen, 35
Titration calorimetry, of surfactants and block polypeptides, 1889
Titration shifts, ^1H-nmr, conformation dependent, 299
Titration studies, of angiotensin, 1793
TMV, light scattering of solution of, 2303
Cis-trans, alternating, peptide units, 591
Cis-trans isomerism,of proline, in (Pro-Pro-Gly)$_{10}$, 735(C)
—, steric effects on neighboring residues, 523
Transition,ordinary–extraordinary, of (Lys-HBr)$_n$, 3125(C)
Translational diffusion coefficient, of tRNA, 2051
Transport properties, of polyelectrolyte solutions, 187
Triple helix-to-random coil transition, of (Pro-Pro-Gly)$_{10}$, 735(C)
Trp, co-oligopeptides with Gly, 995
—, environment of, 451
β-Turn, in Z-Aib-Pro-$NHCH_3$, 1635
Twist and writhing, of circular DNAs, 1709
Two-dimensional representation, of hydrogen-bonding scheme in Phe tRNA, 485(C)
(Tyr-Glu)$_n$, magnetic birefringence of, 101
Tyrosine side chain, of angiotensin, 1793

Ultracentrifugation,analytical, density distributions, 3043
—, pressure effects, 3043
Ultracentrifugation studies,analytical, of protein compressibility, 1027(C)

Ultrasonic absorption spectra, of proteins, 3015
Uncoiling, of $(Lys\text{-}HBr)_n$, 3125(C)
Unperturbed dimensions, of crosslinked histones, 225
Unwinding mechanism, of polynucleotides by formaldehyde, 1439
Urease, intrinsic viscosity of, 59
—, oligomerization of, 59
Urease oligomers, hydrodynamic properties of, 59
—, intrinsic viscosity of, 59

Meso-valinomycin, See valinomycin analog
Valinomycin analog, crystal and molecular structure of, 2145
Vibrational analysis, of dynamics of an α-helix, 2465
Vibrations,longitudinal, of helical polymers, 747
Viruses,filamentous, quasielastic light scattering of solutions of, 2549, 2569
Viscoelastic behavior, of DNA, 2783
Viscosity studies, of $(Lys)_n$, 2127
Voltammetry study, of DNA, 2397

Water, effect on crystal structure of *N*-Ac-L-4-Hyp, 1141
—, interaction with DNA, 2431
Water bridges, in collagen, 47
—, in collagen-related peptide, 1141

X-ray analysis, of chondroitin-4-sulfate, 257
X-ray crystallographic studies, of proflavine–cytidylyl-(3′,5′)-guanosine, 2405
X-ray diffraction studies, of *meso*-valinomycin, 2145
Xylan single crystals, enzymatic degradation of, 2459

Z-Aib-Pro-$NHCH_3$, an X_2-Pro_3 type III β-turn in, 1635
—, crystal and molecular structure of, 1635
Zimm theory, comparison with sedimentation measurements of bacteriophage G DNA, 2353(C)

BIOPOLYMERS

An International Journal of Research on Biological Molecules

Volume 18 • 1979

EDITOR

Murray Goodman, *University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Victor Bloomfield, *Department of Biochemistry, University of Minnesota, St. Paul, Minnesota 55108*

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*

Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

Tatsuo Miyazawa, *University of Tokyo, Tokyo, Japan*

John Schellman, *Department of Chemistry, University of Oregon, Eugene, Oregon 97403*

ADVISORY BOARD

F. Bovey
E. M. Bradbury
D. A. Brant
C. Cantor
D. Crothers
G. Fasman
G. Felsenfeld
I. L. Karle
M. Karplus
S. Krimm
C. H. Li
S. Lifson
W. L. Mattice
W. Olson
Y. A. Ovchinnikov
E. Peggion
O. B. Ptitsyn
G. N. Ramachandran
S. Sakakibara
H. A. Scheraga
P. R. Schimmel
I. C. P. Smith
I. Z. Steinberg
I. Tinoco
P. Ts'o
G. Weill
R. W. Woody
K. Wüthrich
B. H. Zimm

an Interscience® Publication
published by JOHN WILEY & SONS

© 1979 by John Wiley & Sons, Inc.

Published monthly (covering one volume per year) by John Wiley & Sons, Inc. Copyright © 1979 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1980): $265.00 per volume. Postage and handling outside U.S.A.: $22.00. Please allow four weeks for changes of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following the month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Biopolymers

Contents

Vol. 18, Issue Nos. 1–12, 1979

ISSUE NO. 1, JANUARY

Secondary Structure of Calf-Thymus Histone H1 by Means of ^{13}C-NMR Spectroscopy
T. Tancredi and P. A. Temussi 1

Conformation and Properties of DNA–$(Lys^{33}, Leu^{67})_{100}$–$(Orn)_{20}$ Complex: A Nucleohistone Model
P. Costantino, S. Verdini, P. De Santis, R. Rizzo, and M. Savino 9

Dielectric Relaxation of Collagen in Aqueous Solutions
S. Umemura, M. Sakamoto, R. Hayakawa, and Y. Wada 25

Dielectric Properties of Hydrated Collagen
J. R. Grigera, F. Vericat, K. Hallenga, and H. J. C. Berendsen 35

The Molecular Details of Collagen Hydration
J. R. Grigera and H. J. C. Berendsen 47

Urease Oligomerizes in a Linear Pattern: Further Hydrodynamic Evidence from Intrinsic Viscosity Theories and Measurement
M. Tirrell and S. Middleman 59

Effects of Distance Constraints on Macromolecular Conformation. II. Simulation of Experimental Results and Theoretical Predictions
T. F. Havel, G. M. Crippen, and I. D. Kuntz 73

DNA Conformational Kinetics
S. Szu and R. L. Jernigan 83

Local Order in Polyelectrolytic Solutions Detected by Magnetic Birefringence Measurements on the $(Tyr\text{-}Glu)_n$ Copolymer
G. Maret, A. Domard, and M. Rinaudo 101

The Spatial Distributions of Randomly Coiling Polynucleotides
R. Yevich and W. K. Olson 113

Hydrophobic Interactions on DNA with Long-Chain Amines
R. Chatterjee and D. K. Chattoraj 147

^{13}C-NMR Spectroscopic Investigation of α- and β-1,4-D-Glucose Homooligomers
A. Heyraud, M. Rinaudo, M. Vignon, and M. Vincendon 167

The Effect of Counter-Ion Substitution on the Transport Properties of Polyelectrolyte Solutions
H. Magdelénat, P. Turr, P. Tivant, M. Chemla, R. Menez, and M. Drifford ... 187

Conformational Studies on Polynucleotide Chains. IV. Backbone Structure of Ribonucleic Acids
C. Tosi, E. Pescatori, and E. Clementi 203

Unperturbed Dimensions of Crosslinked Histones Evaluated Using Random-Flight Statistics and Rotational Isomeric State Theory
W. L. Mattice 225

ISSUE NO. 2, FEBRUARY

The Influence of Asymmetric Carbon Atoms of the Side Chains on the Conformational Properties of Polypeptides: Comparison of Diastereomeric Homooligopeptides of L-Isoleucine and D-Alloisoleucine
U. Widner, G. P. Lorenzi, and P. Pino 239

Crystallization of Chondroitin Sulfate from an Aqueous Solution
K-I. Tanaka and N. Katsura 257

Phase Transitions of the Starch–Water System
J. W. Donovan 263

Density-Gradient-Sedimentation Velocity of Solvated Macromolecules: Theoretical Considerations About the Buoyancy Factor
P. Nieuwenhuysen 277

^{1}H-NMR Parameters of the Common Amino Acid Residues Measured in Aqueous Solutions of the Linear Tetrapeptides H-Gly-Gly-*X*-L-Ala-OH
A. Bundi and K. Wüthrich 285

Use of Amide ^{1}H-NMR Titration Shifts for Studies of Polypeptide Conformation
A. Bundi and K. Wüthrich 299

Accelerated Deacylation of Acyl Salicylates and Neighboring Group Effects in Derivatives of Poly(Ethylenimine)
R. S. Johnson and I. M. Klotz 313

Spectroscopic Origin of Conformation-Sensitive Contributions to Polysaccharide Optical Activity: Vacuum-Ultraviolet Circular Dichroism of Agarose
J. N. Liang, E. S. Stevens, E. R. Morris, and D. A. Rees 327

Circular Dichroism and the pH-Induced β-Coil Transition of Poly(S-Carboxymethyl-L-Cysteine) and Its Side-Chain Homolog
S. Ikeda, A. Fukutome, T. Imae, and T. Yoshida 335

Changes in the Refractive Index Ellipsoid Isotropies, Symmetric Anisotropies, and Depolarization Ratios of Potassium Hyaluronate Solutions as a Function of pH
T. W. Barrett 351

Conformational Energy Calculations with Averaged Potential Functions: Application to the Repeat Peptides of Elastin
E. Ralston and R. L. Somorjai 359

Interactions Between Bovine Plasma Albumin and Sodium Dodecyl Sulfate Studied by Means of ^{13}C-NMR Spectra
Y. Inoue, S. Sase, R. Chûjô, S. Nagaoka, and M. Sogami 373

4-Phenoxy-3,5-Dinitrobenzoylpolyethyleneglycol: Reversible Attachment of Cysteine-Containing Polypeptides to Polymers in Aqueous Solutions
J. D. Glass, L. Silver, J. Sondheimer, C. S. Pande, and J. Coderre 383

Circular Dichroism of Helical Polynucleotides Calculated by the Linear Response Method
S. M. Redmann, Jr. and W. Rhodes 393

Infrared and Raman Study in the Solid State of Fully Protected, Monodispersed Homooligopeptides of L-Valine, L-Isoleucine, and L-Phenylalanine
M. H. Baron, C. de Loze, C. Toniolo, and G. D. Fasman 411

Synthesis and Conformation of a Polyoxyethylene-Bound Undecapeptide of the Alamethicin Helix and (2-Methylalanyl-L-Alanine)$_{1-7}$
W. Mayr, R. Oekonomopulos, and G. Jung 425

The Raman Spectra of Bence-Jones Proteins. Disulfide Stretching Frequencies and Dependence of Raman Intensity of Tryptophan Residues on Their Environments
T. Kitagawa, T. Azuma, and K. Hamaguchi 451

^{1}H- and ^{13}C-NMR Studies of *N*-Acetyl-L-Alanine Methylester and *N*-Acetyl-L-Alanine Methylamide. I. Self-Association
T. Asakura, M. Kamio, and A. Nishioka 467

COMMUNICATIONS TO THE EDITOR

Quasielastic Light Scattering by Biopolymers. III. Effect of Ionic Strength on Internal Dynamics of DNA
K. S. Schmitz 479

Two-Dimensional Representation of the Hydrogen-Bonding Scheme in Phenylalanine tRNA
R. Balasubramanian 485

The Heat Capacity of Water in Hydrated Collagen
B. M. Fung and J. A. Cox 489

ISSUE NO. 3, MARCH

Thermodynamics of Mucopolysaccharide–Dye Binding. III. Thermodynamic and Cooperativity Parameters of Acridine Orange–Heparin System
J. M. Menter, R. E. Hurst, N. Nakamura, and S. S. West 493

Far-Infrared Spectrum of Crystalline Lysozyme
M. Ataka and S. Tanaka 507

Structure and Conformation of Peptides: *N*-Benzyloxycarbonyl-(γ-Ethyl)-L-Glutamyl-(γ-Ethyl)-L-Glutamic Acid Ethyl Ester
E. Benedetti, B. Di Blasio, V. Pavone, C. Pedone, G. Germain, and M. Goodman 517

Steric Effects of *cis-trans* Isomerism on Neighboring Residues in Proline Oligopeptides: A ^{13}C-NMR Study of Conformation Heterogeneity in Linear Tripeptides
R. Deslauriers, J. M. Becker, A. S. Steinfeld, and F. Naider 523

Crystal Structure of Putrescine Diphosphate: A Model System for Amine-Nucleic Acid Interactions
N. H. Woo, N. C. Seeman, and A. Rich 539

Helix–Coil Transition of the dG-dC-dG-dC Self-Complementary Duplex and Complex Formation with Daunomycin in Solution
D. J. Patel 553

Theoretical Studies on Peptidoglycans. II. Conformations of the Disaccharide–Peptide Subunit and the Three-Dimensional Structure of Peptidoglycan
R. Virudachalam and V. S. R. Rao 571

Stereochemical Studies on Cyclic Peptides. IX. Conformational Studies on Cyclic Tetrapeptides Containing Alternating *cis* and *trans* Peptide Units
G. Manjula and C. Ramakrishnan 591

An Elastic Model of the Large-Scale Structure of Duplex DNA
C. J. Benham 609

Thermodynamics and Kinetics of the Interaction of Copper (II) Ions With Native DNA
W. Förster, E. Bauer, H. Schütz, H. Berg, N. M. Akimenko, L. E. Minchenkova, Yu. M. Evdokimov, and Ya. M. Varshavsky 625

^{31}P NMR Spin-Lattice Relaxation Studies of Deoxyoligonucleotides
P. Davanloo, I. M. Armitage, and D. M. Crothers 663

Kinetic Studies of the Helix–Coil Transition in Aqueous Solutions of Poly(L-Lysine)
S. Inoue, T. Sano, Y. Yakabe, H. Ushio, and T. Yasunaga 681

Association Studies of *N*-Acetyl-Amino Acid *N*,*N*-Dimethylamides in Carbon Tetrachloride
K. Mizuno, S. Nishio, and Y. Shindo 693

Circular Dichroism of Helices Formed by Purine Monomers with Pyrimidine Polynucleotides
H. D. Mathelier, F. B. Howard, and H. T. Miles 709

Disorder–Order Transitions Induced in Anionic Homopolypeptides by Cationic Detergents
W. L. Mattice, R. W. McCord, and P. M. Shippey 723

COMMUNICATIONS TO THE EDITOR

Chain Dynamics: Brownian Motion of the Ends of Oligopeptides in Solution
R. Cerf 731

^{13}C Nuclear Magnetic Resonance Study of the Triple Helix ⇌ Random-Coil Transition of (Prolylprolylglycyl)$_{10}$
R. Di Blasi and A. S. Verdini 735

Spontaneous Reduction of Hemin Complexes in Dimethylformamide Solution
H. Nishide, K. Mihayashi, and E. Tsuchida 739

Thermally Induced Helix-β Transition of Poly(L-α,γ-Diaminobutyric Acid) and Formation of Left-Handed Helix of Poly(L-α,β-Diaminopropionic Acid) in Alkyl Sulfate Solution
S. Kubota and J. T. Yang 743

ISSUE NO. 4, APRIL

Mean-Square Amplitudes of the Longitudinal Vibrations of Helical Polymers
W. L. Peticolas 747

Effect of Hydrophobic Side Chains on the Pressure-Induced Changes in the NMR Spectra of Water-Soluble Biopolymers
R. K. Williams, C. A. Fyfe, D. Bruck, and L. Van Veen 757

Kinetics of Large-Ligand Binding to One-Dimensional Lattices: Theory of Irreversible Binding
I. R. Epstein 765

Conformational Characteristics of the Trinucleoside Diphosphate *d*(ApApA) from Energy-Minimization Studies
P. Thiyagarajan and P. K. Ponnuswamy 789

Salt-Concentration Dependence of Melting Profiles of Lambda Phage DNAs: Evidence for Long-Range Interactions and Pronounced End Effects
O. Gotoh, A. Wada, and S. Yabuki 805

A Model for the Simulation of an Aqueous Dipeptide Solution
P. J. Rossky, M. Karplus, and A. Rahman 825

Specificity of DNA–Basic Polypeptide Interactions. III. Sequential and Random Copolymers of Lysine and Aromatic Amino Acids
G. Seipke, H.-A. Arfmann, and K. G. Wagner 855

On the Blue Color of Triiodide Ions in Starch and Starch Fractions. I. Characterization and Assignment of Absorption and Circular Dichroism Spectra of Triiodide Ions in Amylose
T. Handa and H. Yajima 873

Single Crystals and Oriented Crystallization of Ivory Nut Mannan
H. Chanzy, M. Dube, D. H. Marchessault, and J. F. Revol 887

Theoretical Investigation of Semiconductive Properties in Proteins. II. The Possibility of Charge Transfer Between Proteins and Different Acceptor Molecules
S. Suhai, T. C. Collins, and J. Ladik 899

Examen par la Méthode des Orbitales Moléculaires des Préférences Conformationnelles Intrisèques du Squelette des Acides Nucléiques
H. Broch and D. Vasilescu 909

Hydroxyproline Content and Location in Relation to Collagen Thermal Stability
T. V. Burjanadze 931

Application of Distance Geometry to Protein Tertiary Structure Calculations
I. D. Kuntz, G. M. Crippen, and P. A. Kollman 939

Interactions of Molecules with Nucleic Acids. I. An Algorithm to Generate Nucleic Acid Structures with an Application to the B-DNA Structure and a Counterclockwise Helix
K. J. Miller 959

Conformational Changes of Poly(L-Histidyl-L-Alanyl-α-L-Glutamic Acid) in Solution. Transition Pathways and Conformational Intermediates
H. J. Goren, M. Fridkin, E. Katchalski-Katzir, and N. Lotan 981

Co-Oligopeptides Containing Two Aromatic Residues Spaced by Glycyl Residues. X. Proton Magnetic Resonance Study of Co-Oligopeptides of Tryptophan and Glycine
P. Skrabal, V. Rizzo, A. Baici, F. Bangerter, and P. L. Luisi 995

Conformation and Circular Dichroism of DNA
C. A. Sprecher, W. A. Baase, and W. C. Johnson, Jr. 1009

COMMUNICATIONS TO THE EDITOR

^{13}C-^{13}C Couplings in ^{13}C-Labeled *cyclo*(tri-L-prolyl) and the Pyrrolidine Ring Conformation
J. Vičar, K. Bláha, F. Piriou, P. Fromageot, and S. Fermandjian 1021

Analysis of the Peak Trajectory in Cooperative Elution of Ligand in Affinity Chromatography
Y. Husimi 1023

ERRATUM

Compressibility Studies of Three Proteins in CsCl Solutions in the Analytical Ultracentrifuge
D. S. Sharp, N. Fujita, K. Kinzie, and J. B. Ifft 1027

ISSUE NO. 5, MAY

High-Resolution NMR of Exchangeable Protons in Arginine, Oligoarginines, and the Arginine-Rich Histone Tetramer
L. Klevan and D. M. Crothers 1029

Thermal Denaturation of Chromatin and Lysine Copolymer–DNA Complexes. Effects of Ethylene Glycol
A. M. Schwartz and G. D. Fasman 1045

Salt-Induced Conformational Change of Random Copolymers $(Lys^{50}Tyr^{50})_n$ and $(Lys^{50}Phe^{50})_n$ Studied by ^1H- and ^{13}C-Nuclear Magnetic Resonances. Aggregation Behavior of Helical Segments
H. Saitô, T. Ohki, M. Kodama, and C. Nagata 1065

A Raman Difference Spectroscopic Investigation of Ovalbumin and S-Ovalbumin
S. Kint and Y. Tomimatsu 1073

Transport Properties of Particles with Segmental Flexibility. I. Hydrodynamic Resistance and Diffusion Coefficients of a Freely Hinged Particle
S. C. Harvey 1081

The Conformation and Aggregation of Bovine β-Casein A. I. Molecular Aspects of Thermal Aggregation
A. L. Andrews, D. Atkinson, M. T. A. Evans, E. G. Finer, J. P. Green, M. C. Phillips, and R. N. Robertson 1105

The Conformation and Aggregation of Bovine β-Casein A. II. Thermodynamics of Thermal Association and the Effects of Changes in Polar and Apolar Interactions on Micellization
M. T. A. Evans, M. C. Phillips, and M. N. Jones 1123

The Role of Water in the Crystal Structure of *N*-Acetyl-L-4-Hydroxyproline
M. Hospital, C. Courseille, F. Leroy, and B. P. Roques 1141

Experimental Studies of Molecular Interactions Between Nitrogen Bases of Nucleic Acids
I. K. Yanson, A. B. Teplitsky, and L. F. Sukhodub 1149

Adsorption of Polypeptides on Solid Surfaces. I. Effect of Chain Stiffness
T. M. Birshtein, E. B. Zhulina, and A. M. Skvortsov 1171

Lysozyme Film Hydration Events: An IR and Gravimetric Study
G. Careri, A. Giansanti, and E. Gratton 1187

Hydrodynamic Properties of Macromolecular Complexes. V. Improved Calculation of Rotational Diffusion Coefficient and Intrinsic Viscosity
R. W. Wilson and V. A. Bloomfield 1205

The Flexible DNA Double Helix. I. Average Dimensions and Distribution Functions
W. K. Olson 1213

The Flexible DNA Double Helix. II. Superhelix Formation
W. K. Olson 1235

Fluorescence Anisotropy Decay Studies Upon Hemoglobin A and Its Subunits
E. Bucci, C. Fronticelli, K. Flanigan, J. Perlman, and R. F. Steiner 1261

Energetics of Intercalation Specificity. I. Backbone Unwinding
R. L. Ornstein and R. Rein 1277

COMMUNICATIONS TO THE EDITOR

Side Chain–Backbone Hydrogen Bonds in Peptides Containing Glutamic Acid Residues
R. Mayer, G. Lancelot, and G. Spach 1293

ISSUE NO. 6, JUNE

Experimental Investigations on the Backbone Folding of Proline-Containing Model Tripeptides
G. Boussard, M. Marraud, and A. Aubry 1297

Dynamic Light Scattering from Collagen Solutions. II. Photon Correlation Study of the Depolarized Light
J. C. Thomas and G. C. Fletcher 1333

An Absolute Method for the Determination of the Persistence Length of Native DNA from Electron Micrographs
C. Frontali, E. Dore, A. Ferrauto, E. Gratton, A. Bettini, M. R. Pozzan, and E. Valdevit 1353

Dynamics of the Cluster Model of Protein Folding
M. I. Kanehisa and T. Y. Tsong 1375

Fluorescent 2-Aza-ε-Adenosine Derivatives of Polyadenylic Acid, Polyuridylic Acid, and Polyinosinic Acid
K. F. Yip and K. C. Tsou 1389

Conformational Studies of Proteoglycans: Theoretical Studies on the Conformation of Heparin
M. Nagarajan and V. S. R. Rao 1407

Diffusion–Collision Model for Protein Folding
M. Karplus and D. L. Weaver 1421

Mechanism for Unwinding of Double-Helical Polynucleotides by Formaldehyde
T. R. Chay 1439

Inelastic Light-Scattering Study of Polyadenilic Acid
P. Mathiez, G. Weisbuch, and C. Mouttet 1465

Alkylated Poly(Amino Acids). I. Conformational Properties of Poly(N^{ϵ}-Trimethyl-L-Lysine) and Poly(N^{δ}-Trimethyl-L-Ornithine)
E. N. Granados and J. Bello 1479

Internal Condensation of a Single DNA Molecule
C. B. Post and B. H. Zimm 1487

Difference in Substrate Binding Processes Between Intact and Iodine-Inactivated Lysozyme
S.-I. Segawa and M. Nakayama 1503

Direct Differential Absorbance Profiles of Denaturing Transitions in Ribosomal and mRNA
N. R. Kallenbach, M. M. Brentani, and R. R. Brentani 1515

Quasielastic Light Scattering from Solutions of Lollipop-Shaped Particles
G. Koopmans, B. J. van der Meer, P. C. Hopman, and J. Greve 1533

Rotational Effects in Quasielastic Laser Light Scattering from T-Even Bacteriophage
R. W. Wilson and V. A. Bloomfield 1543

COMMUNICATIONS TO THE EDITOR

Molecular Weights of the Slow and Fast Forms of T2L Bacteriophages
P. C. Hopman and G. Koopmans 1551

Conformational Analysis of the Cyclic Disulfide L-Cysteinyl-L-Cysteine
S. Capasso, L. Mazzarella, and T. Tancredi 1555

N^{+}-H—O Bond Lengths in Crystal Structures of Amino Acids and Peptides
S. N. Vinogradov 1559

ERRATUM

Flexibility of the Pyrrolidine Ring in Proline Peptides
V. Madison 1563

ISSUE NO. 7, JULY

Model for the Conformational Analysis of Hydrated Peptides. Effect of Hydration on the Conformational Stability of the Terminally Blocked Residues of the 20 Naturally Occurring Amino Acids
Z. I. Hodes, G. Némethy, and H. A. Scheraga 1565

Influence of Hydration on the Conformational Stability and Formation of Bends in Terminally Blocked Dipeptides
Z. I. Hodes, G. Némethy, and H. A. Scheraga 1611

Crystal and Molecular Structure of Benzyloxycarbonyl-α-Aminoisobutyryl-L-Prolyl Methylamide: The Observation of an X_2-Pro_3 Type III β-Turn
B. V. Venkataram Prasad, N. Shamala, R. Nagaraj, R. Chandrasekaran, and P. Balaram 1635

Quasielastic Light-Scattering Studies on Human Fibrinogen and Fibrin. I. Fibrinogen
G. R. Palmer, O. G. Fritz, and F. R. Hallett 1647

Quasielastic Light-Scattering Studies on Human Fibrinogen and Fibrin. II. Fibrin Polymerization
G. R. Palmer and O. G. Fritz 1659

Polyelectrolyte Behavior of Carrageenans in Aqueous Solutions
M. Rinaudo, A. Karimian, and M. Milas 1673

Self-Association of Hemoglobin: A Dielectric Dispersion Study
D. Desnica 1685

Effect of Mg^{++} and Polyamines on Proflavine Binding to T2 DNA
S. C. Riemer and V. A. Bloomfield 1695

Catastrophic Variation of Twist and Writhing of Circular DNAs with Constraint?
M. Le Bret 1709

Hydrodynamic Properties of Proteoglycan Subunit from Bovine Nasal Cartilage. Self-Association Behavior and Interaction with Hyaluronate Studied by Laser Light Scattering
H. Reihanian, A. M. Jamieson, L. H. Tang, and L. Rosenberg 1727

7-Amino-Actinomycin D Complexes with Deoxynucleotides as Models for the Binding of the Drug to DNA
Y.-C. Chen Chiao, K. Gurudath Rao, J. W. Hook III, T. R. Krugh, and S. K. Sengupta 1749

Hemoglobin Aggregation in Oxygenated Sickle Cells Studied by Carbon-13 Rotating Frame Spin–Lattice Relaxation in the Presence of an Off-Resonance Radiofrequency Field
T. L. James, R. Matthews, and G. B. Matson 1763

Conformational Dependence of Vicinal $^{13}C'NC^{\alpha}H$ Coupling Constants in Peptides: A Dirac Vector Model Investigation
P. Mohanakrishnan and K. R. K. Easwaran 1769

Effect of Inhibitor Complex Formation on the Hydration Properties of α-Chymotrypsin. Changes Induced in Protein Hydration by Tosylation of the Native Enzyme
M. Lüscher, P. Schindler, M. Rüegg, and M. Rottenberg 1775

Titration and Fluorometric Studies of the Tyrosine Side Chain of Angiotensin II and Related Peptides
L. Juliano, C. Laluce, M. C. F. Oliveira, and A. C. M. Paiva 1793

Comparisons Between Oriented Film and Solution Tertiary Structure of Various Nucleic Acids
D. R. C. Priore and F. S. Allen 1809

Effect of Temperature on the Limiting Viscosity Number of Hyaluronic Acid and Chondroitin 4-Sulfate
R. L. Cleland 1821

COMMUNICATIONS TO THE EDITOR

DNA–Actinomycin Interaction: Dilatometric Study
B. B. Misra and C. Singh 1829

Conductometric Manifestation of the Transition from the Ordinary to the Extraordinary Phase in Dilute Poly(L-Lysine)
J. Shibata and J. M. Schurr 1831

ISSUE NO. 8, AUGUST

Melanostatin Conformations in Solution
R. W. Schwartz, W. L. Mattice, and M. A. Spirtes 1835

Condensation of Co^{++} Ions on Chondroitin Sulfate from Transport Coefficients and Proton NMR Measurements in Aqueous Solutions
P. Tivant, P. Turq, M. Chemla, H. Magdelenat, P. Spegt, and G. Weill 1849

Raman Spectra of Polypeptides Containing L-Histidine Residues and Tautomerism of Imidazole Side Chain
I. Ashikawa and K. Itoh 1859

Particular Structural Role of H1 in Complexes with DNA and Comparison with H2A- and H4–DNA Complexes Investigated by IR Linear Dichroism
E. Taillandier, J. Taboury, J. Liquier, M. C. Gadenne, M. Champagne, and J. Brahms 1877

Thermometric Titration Studies of the Interaction of Block Polypeptides with Surfactants
K. M. Kale, L. Vitello, G. C. Kresheck, G. Vanderkooi, and R. J. Albers 1889

Geometry of Experimentally Observed RNA Residues in tRNA and Dinucleoside Monophosphates: The Effect of Small Variations in the Backbone Angles
B. Hingerty 1901

Melting Curves, Denaturation Maps, and Genetic Map of ϕX174: Their Relations and Applications
B. Y. Tong and S. J. Battersby 1917

Bromophenol Red as a Probe of Lysozyme-Active Site Environment: A Temperature-Jump Study
G. Krishnamoorthy, B. S. Prabhananda, and S. Gurnani 1937

Effect of Some Monohydric Alcohols on the Functional Stability of Bovine Liver β-Galactosidase
L. Cordone, V. Izzo, G. Sgroi, and S. L. Fornili 1965

Effect of Some Monohydric Alcohols on the Oxygen Affinity of Hemoglobin: Relevance of Solvent Dielectric Constant and Hydrophobicity
L. Cordone, A. Cupane, P. L. San Biagio, and E. Vitrano 1975

Circular Dichroism Study on Polyelectrolytic Properties of Carboxymethyldextran
K. Gekko 1989

Electric Field Effect on the Helix–Coil Transition of Poly(L-α,γ-Diaminobutyric Acid Hydrochloride) in Methanol/Water Mixtures
M. Fujimori, K. Kikuchi, K. Yoshioka, and S. Kubota 2005

Theoretical Drug Design: 6-Azauridine-5′-Phosphate—Its X-Ray Crystal Structure, Potential Energy Maps, and Mechanism of Inhibition of Orotidine-5′-Phosphate Decarboxylase
W. Saenger, D. Suck, M. Knappenberg, and J. Dirkx 2015

Kinetics of Nucleic Acid–Large Ligand Interactions: Exact Monte Carlo Treatment and Limiting Cases of Reversible Binding
I. R. Epstein 2037

Intensity Fluctuation Spectroscopy and Transfer RNA Conformation. III. Influence of NaCl Concentration on the Size and Shape of the Initially Salt-Free tRNA in Solution
A. Patkowski and B. Chu 2051

Raman Spectroscopic Study of ^{2}H- and ^{15}N-Substituted Guanosines: Monomers, Gels, and Polymers
J.-M. Delabar and W. Guschlbauer 2073

Dynamic Mechanical Properties of Elastin
J. M. Gosline and C. J. French 2091

ISSUE NO. 9, SEPTEMBER

Conformation of a Monodisperse HomoHexapeptide, Nps-[Glu(OBzl)]$_6$-NHEt, and Its Critical Concentration of β-Form Formation in Solution
K. Okahashi and S. Ikeda 2105

Intermolecular Association and Molecular Weight of Aggregates of a Monodisperse Homohexapeptide, Nps-[Glu(OBzl)]$_6$-NHEt, in Solution
S. Ikeda and K. Okahashi 2115

Viscosometric Investigation of the Ordinary–Extraordinary Phase Transition in Dilute Polylysine Solutions
N. B. Martin, J. B. Tripp, J. H. Shibata, and J. M. Schurr 2127

Affinity of Glycogen Synthetase to Crosslinked Glycogen
J. Zemek, Š. Bauer, and L. Kuniak 2135

The Crystal and Molecular Structure of *cyclo*[-(D-Val-Hyi-Val-D-Hyi)$_3$-] (*meso*-Valinomycin, $C_{60}H_{102}N_6O_{18}$)
V. Z. Pletnev, N. M. Galitskii, V. T. Ivanov, and Yu. A. Ovchinnikov 2145

Effect of Salt on the Stability of the pH 4.2 rA$_8$ Double Helix in a Series of Organic/Aqueous Mixed Solvents: A Test of Oligoelectrolyte Theory
K. J. Breslauer and C. M. Bodnar 2167

Protonation and Quaternization of 1,N^6-Ethenoadenosine: What Are the Fluorescence of 1,N^6-Ethenoadenosine?
Y. Inoue, T. Kuramochi, and K. Imakubo 2175

Study by Circular Dichroism of Soluble Fragments of Elastin from Porcine and Normal and Pathological Human Aortas
M. Davril, K.-K. Han, and M.-H. Loucheux-Lefebvre 2195

Nuclear Magnetic Resonance Investigation of Lysine–Oligopeptides and a Complex with d(pA)$_3$pGpC(pT)$_3$
P. Davanloo and D. M. Crothers 2213

Solvent Accessibility Study on tRNA^{Phe}
P. Thiyagarajan and P. K. Ponnuswamy 2233

Conformational Studies of BSA Using Laser Light Scattering
J. D. Harvey, R. Geddes, and P. R. Wills 2249

Electron Diffraction Study of Single Crystals of Amylose Complexed with n-Butanol
F. P. Booy, H. Chanzy, and A. Sarko 2261

Differentiation Between the α-Helical and Coillike Conformations of Poly(L-Glutamic Acid) in Aqueous Solution Through Binding of Pinacyanol
M. K. Pal and M. Mandel 2267

On the Possibility of True Phase Transition in Heterogeneous DNA During Thermal Denaturation Under Conditions Close to Equal Stability of A + T and G + C Pairs
Yu. P. Blagoi, V. A. Sorokin, V. A. Valeev, G. O. Gladchenko, S. A. Khomenko, and V. L. Galkin 2279

Circular Dichroism of Complexes of NADH with Self-Associating Bovine Liver Glutamate Dehydrogenase
L. Zeiri and E. Reisler 2289

Light Scattering of Aqueous Solutions of DNA, Poly(acrylic Acid), and Tobacco Mosaic Virus Under Alternating Electric Field
T. Fujikado, R.Hayakawa, and Y. Wada 2303

Nematic Polymers: Excluded-Volume Effects
Y. H. Kim and P. Pincus 2315

Structure of Strand-Separated DNA in Different Environments Studied by Linear Dichroism
B. Nordén and S. Seth 2323

Potentiometric Studies on Interactions of α-L-Glutamic Acid Oligomers with Cu(II) in Aqueous Solutions
L. Mosoni, M. M. Petit-Ramel, A. Domard, and M. Rinaudo 2341

COMMUNICATIONS TO THE EDITOR

Effect of Centrifuge Speed on the Sedimentation of High-Molecular-Weight Bacteriophage G DNA
F. Krasin 2353

Analysis of the Ionic Contribution to the Affinity of Steroid Diamines for DNA
G. S. Manning 2357

Collagen Model Peptides with Antiparallel Structure
Y. Greiche and E. Heidemann 2359

Structure of Bovine Anterior Lens Capsule Basement Membrane Collagen Molecules from Electron Microscopy
D. Schwartz and A. Veis 2363

Conformations of the Hydroxymethyl Group in Crystalline Aldohexopyranoses
R. H. Marchessault and S. Perez 2369

ISSUE NO. 10, OCTOBER

Cation-Binding Cyclic Peptides with Lipophilic Tails
C. M. Deber and P. D. Adawadkar 2375

Study of Thermal and Acid Denaturation of DNA by Means of Voltammetry at Graphite Electrodes
V. Brabec 2397

Molecular and Crystal Structure of an Intercalation Complex: Proflavine–Cytidylyl-(3′,5′)-Guanosine
H. M. Berman, W. Stallings, H. L. Carrell, J. P. Glusker, S. Neidle, G. Taylor, and A. Achari 2405

Interaction of Water with DNA Single-Helix in the A Conformation
E. Clementi and G. Corongiu 2431

Hydrogen-Bond Cooperativity in Protein Secondary Structure
R. P. Sheridan, R. H. Lee, N. Peters, and L. C. Allen 2451

Enzymatic Degradation of β(1 → 4) Xylan Single Crystals
H. Chanzy, J. Comtat, M. Dube, and R. H. Marchessault 2459

Vibrational Approach to the Dynamics of an α-Helix
R. M. Levy and M. Karplus 2465

Effects of Metal Ions on the Hydrolysis of *p*-Nitrophenyl Caproate by Modified Poly(ethylenimine)s
T. Takagishi and I. M. Klotz 2497

Infrared Spectra of the *N*-Acetyl-*N'*-Methylamides of Glycine, L-Alanine, and L-Leucine in Dilute Solutions of Chloroform and Carbon Tetrachloride
F. R. Maxfield, S. J. Leach, E. R. Stimson, S. P. Powers, and H. A. Scheraga 2507

Type I Collagen Fibrillogenesis: Initiation via Reversible Linear and Lateral Growth Steps
F. H. Silver, K. H. Langley, and R. L. Trelstad 2523

Incorporation of Lone Pairs into the Electrostatic Term in the Empirical Intra- and Intermolecular Energy Calculations
I. Tvaroška and T. Bleha 2537

Quasielastic Light Scattering from Solutions of Filamentous Viruses. I. Experimental
E. Loh, E. Ralston, and V. N. Schumaker 2549

Quasielastic Light Scattering from Solutions of Filamentous Viruses. II. Comparison Between Theories and Experiments
E. Loh 2569

Conformational Energy Studies of Linear Dipeptides H-*X*-L-Pro-OH
R. Hetzel and K. Wüthrich 2589

Origin of Multipeak Behavior in the NMR Spectra of Poly(L-Glutamic Acid)
H. J. Lader and L. Mandelkern 2607

Composite Predictions of Secondary Structures of *lac* Repressor
S. Bourgeois, R. L. Jernigan, S. C. Szu, E. A. Kabat, and T. T. Wu 2625

ISSUE NO. 11, NOVEMBER

Conformational Difference in Cation Complexes of Tetranactin in Solution
M. Ueno and Y. Kyogoku 2645

Formation of Ternary Complexes Involving Zinc or Copper Ions, Polynucleotides, and Polypeptides Containing Glutamic Acid and Tyrosine Residues
A. Bere and C. Helene 2659

Enthalpy of Mixing Glycosaminoglycans with Aqueous NaCl
R. L. Cleland 2673

Interaction of Molecules with Nucleic Acids. II. Two Pairs of Families of Intercalation Sites, Unwinding Angles, and the Neighbor-Exclusion Principle
K. J. Miller and J. F. Pycior 2683

Effect of O(2')-Methylation on the Stability of Polynucleotide Helices
N. Yathindra and M. Sundaralingam 2721

Statistical-Mechanical Treatment of Violations of the Double Helix in Supercoiled DNA
V. V. Anshelevich, A. V. Vologodskii, A. V. Lukashin, and M. D. Frank-Kamenetskii 2733

Absorption and Circular Dichroism Spectra of Methylene Blue Bound to Alginate
G. R. Seely and R. L. Hart 2745

Dielectric Relaxation of DNA Solutions. III. Effects of DNA Concentration, Protein Contamination, and Mixed Solvents
M. Sakamoto, R. Hayakawa, and Y. Wada 2769

Transient Electric Birefringence of T7 Viral DNA
D. C. Rau and V. A. Bloomfield 2783

Motion of Myosin Fragments During Actin-Activated ATPase: Fluorescence Correlation Spectroscopy Study
J. Borejdo 2807

Energetic and Structural Aspects of Ethidium Cation Intercalation into DNA Minihelices
R. L. Ornstein and R. Rein 2821

Study of the Rotational Diffusion Properties of Peptides in Solution
H. E. Bleich, J. A. Glasel, M. Latina, and J. Visintainer 2849

Brownian Motion of the Wormlike Chain and Segmental Diffusion of DNA
O. G. Berg 2861

Ionic Strength-Dependent Conformational Transitions of Chromatin. Circular Dichroism and Thermal Denaturation Studies
A. W. Fulmer and G. D. Fasman 2875

Denaturation of Cobalt–Carbonic Anhydrase B from Bovine Erythrocyte
L. F. McCoy, Jr. and K.-P. Wong 2893

COMMUNICATIONS TO THE EDITOR

Conformational Origin of the Pyrimidine(3′–5′) Purine Base Sequence Preference for Intercalation into RNAs
S. Broyde and B. Hingerty 2905

ERRATA

Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. I. The Non-Amide Protons
A. Demarco, M. Llinás, and K. Wüthrich 2911

Analysis of the ^{1}H-NMR Spectra of Ferrichrome Peptides. II. The Amide Resonances
A. Demarco, M. Llinás, and K. Wüthrich 2911

ISSUE NO. 12, DECEMBER

Kinetic Analysis of Local Structure Formations in Protein Folding
M. I. Kanehisa and T. Y. Tsong 2913

Theory of H1-Mediated Control of Higher Orders of Structure in Chromatin
G. S. Manning 2929

Characterization of Menningococcal Polysaccharides by Light-Scattering Spectroscopy. IV. Molecular Weight Distribution of Group B Meningococcal Polysaccharide in Buffer Solution
E. Gulari, B. Chu, and T. Y. Liu 2943

Moments of the Distribution of the Amino Acid Residues in Tertiary Structures of Globular Proteins
P. De Santis, S. Morosetti, and A. Palleschi 2963

Structural Characterization of Ordered Domains in a Hydrophobic Membrane Protein
E. M. Macchi and F. J. Barrantes 2979

Flexibility of the Pyranose Ring in α- and β-D-Glucoses
N. V. Joshi and V. S. R. Rao 2993

Role of the Amino-Terminal Extrahelical Region of Type I Collagen in Directing the 4*D* Overlap in Fibrillogenesis
D. L. Helseth, Jr., J. H. Lechner, and A. Veis 3005

Relaxational Contributions to Protein Compressibility from Ultrasonic Data
A. P. Sarvazyan and P. Hemmes 3015

Analysis of Cooperativity and Ion Effects in the Interaction of Quinacrine with DNA
W. D. Wilson and I. G. Lopp 3025

Density Gradient Proportionality Constants, Density Distributions, and Pressure Effects for Three Salt Solutions
D. S. Sharp and J. B. Ifft 3043

Synthesis of Sequential Polypeptides Containing L-β-3,4-Dihydroxyphenyl-α-Alanine (DOPA) and L-Glutamic Acid
H. Yamamoto and T. Hayakawa 3067

Polyxanthylic Acid: Structures of the Ordered Forms
K. B. Roy, J. Frazier, and H. T. Miles 3077

Effect of Sodium Ion on the High-Resolution Melting of Lambda DNA
R. D. Blake and P. V. Haydock 3089

COMMUNICATIONS TO THE EDITOR

On the Ionic-Strength Dependence of the Intrinsic Viscosity of DNA
T. Odijk 3111

Conformational Dissymmetry and Stereospecific Catalytic Activity of Iron(III) Complex Ions Supported on Polypeptides
M. Barteri, B. Pispisa, and M. V. Primiceri 3115

The Low-Frequency Raman Spectrum of an Antibody Molecule: Bovine IgG
P. C. Painter and L. E. Mosher 3121

The Ordinary–Extraordinary Transition of Poly(L-Lysine-HBr) in NaBr Solutions
D. Stigter 3125

Author Index 3129

Subject Index 3141

Volume Contents iii